

[4816-342]

### DIRECTION FOR USE

Hold container upright with nozzle away from you. Press valve down and spray as directed.

When using this product in food processing plants, foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in these areas, apply only when facility is not in operation.

Remove pets, birds and cover fish aquariums before spraying.

Flies, Mosquitoes, Gnats, Wasps, and Flying Moths: Close all doors and windows and spray room at the rate of 1 second per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Repeat treatment as necessary.

Roaches, Water Bugs, Silverfish, Crickets, Spider, Centipedes, and Saw Bugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

Ants: Spray trails, nests, and points of entry. Spray on ants where possible. Repeat as necessary.

Indian Meal Moth, Angoumois Grain Moth: Close doors and windows, direct spray into all parts of room, especially around stored food product containers, pallets, and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment, Repeat application weekly or as needed.

Exposed stages of Confused Flour Beetle, Saw Toothed Grain Beetle, Red Flour Beetle, Rice Weevil, Granary Weevil, Grain Mites: Spray into cracks and crevices, processing and handling equipment, around cartons or containers and other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat applications as necessary.

Carpet Beetles: Spray directly on beetles, floors, baseboards, shelves and carpets. Repeat treatment as necessary.

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings, and floors. Repeat treatment as necessary.

Fleas: Spray sleeping quarters, bedding, floor and floor covering where pets are kept. Repeat as necessary. Use only a recommended pet spray on pets.

**CAUTION: HARMFUL IF SWALLOWED.** Avoid contamination of feed and foodstuffs. Vacate premises after treatment and ventilate before reoccupying.

**WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire**

ACCEPTED  
Mar 25 1975  
UNDER THE FEDERAL INSECTICIDE ACT  
AS APPLICABLE AND REGISTERED  
FOR ECONOMIC PURCHASE  
NUMBER 4816-342

# PYRENONE

## Industrial Aerosol

### Liquid Insecticide

EPA Reg. No. 4816-342  
EPA Est., 279-NY-1

Contains **PYRENONE**  
**Industrial Strength - Low Dosage Required\***

For use in Schools, Hospitals, Institutions, Dairies, Supermarkets, Hotels, Restaurants, Drive-Ins, Motels, Drug Stores, Food Plants, and Animal Quarters.

Provides Rapid Control of Flies, Mosquitoes, Gnats, Wasps, Flying Moths (Millers) and accessible stages of Roaches, Ants, Water Bugs, Silverfish, Flour Beetles, Weevils, Grain Mites, and Spiders.

ACTIVE INGREDIENTS:

Pyrethrins .....	0.5%
*Piperonyl Butoxide, Technical .....	4.0%
Petroleum Distillate .....	10.5%
INERT INGREDIENTS: .....	85.0%

\* Equivalent to 3.2% of (butylcarbityl) (6-propylpiperonyl) ether and to 0.8% of related compounds.

PYRENONE - FMC trademark

### CAUTION

KEEP OUT OF REACH OF CHILDREN.

See rear panel for additional precautions

Net Weight - 1 Pound 4 ounces

FMC Corporation  
A.C.D. Industrial Sales Department  
115th Street, New York, N.Y. 10019

ACCEPTED  
Mar 25 1975  
UNDER THE FEDERAL INSECTICIDE ACT  
AS APPLICABLE AND REGISTERED  
FOR ECONOMIC PURCHASE  
NUMBER 4816-342

FMC  
FMC  
FMC  
FMC  
FMC  
FMC  
FMC  
FMC  
FMC  
FMC  
FMC  
FMC  
FMC  
FMC  
FMC  
FMC  
FMC  
FMC  
FMC  
FMC  
FMC  
FMC  
FMC  
FMC