

DIRECTIONS FOR USE

Hold can at least 18 inches from plant, with orifice directed away from you. Press actuator button to release in short bursts. Contact both upper and lower leaf surfaces. Avoid visibly wetting foliage. Spray before infestation becomes severe and repeat at 7 to 10 day intervals or as necessary.

This ornamental spray may be used on plants, as a multi-purpose spray in small gardens, and for spot treatment of incipient insect infestations to prevent spreading in large gardens.

FOR THE CONTROL OF GARDEN INSECTS - For use on roses, dahlias, asters and other ornamentals to kill Japanese beetles hit by spray, as well as aphids, exposed thrips and spider mites. Also effective against lace bugs, pavement ants, clover mites and army worms.

This spray may be used on African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, euonymus, fuchsia, geraniums, crassula, ornamental grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, Wandering Jew and zinnias.

Do not use on maidenhair fern, lantana or cyclamen.

AS A FUNGICIDE, spray before infestation occurs for the prevention of powdery mildew and black spot on roses. Spray at 5 to 7 day intervals while danger of fungous infection persists.

CAUTION

Harmful if swallowed or inhaled. Avoid contamination of feed and foodstuffs. Avoid breathing or contact with eyes or skin. Wash thoroughly after use.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130° F may cause bursting. Never throw container into fire or incinerate.

ROSE AND FLORAL SPRAY

EPA Reg. No. 4816-47

A Special Blend of Insecticides, Fungicides, and Miticides.

ACTIVE INGREDIENTS:

Pyrethrins	0.026%
*Piperonyl Butoxide, Technical	0.256%
Rotenone	0.128%
Other Cube [†] Extractives	0.238%
Captan (N-trichloromethylthio-4-cyclohexene-1,2-dicarboximide)	0.504%
+2,4-Dinitro-6-octyl** phenyl crotonate	0.146%
+2,6-Dinitro-4-octyl** phenyl crotonate	
Nitrooctyl** phenols (principally dinitro)	0.010%
Petroleum Distillate	0.026%
INERT INGREDIENTS	98.666%

*Equivalent to 0.205% of (butylcarbityl) (6-propylpiperonyl) ether and to 0.051% of related compounds.

**A mixture of 1-methylheptyl, 1-ethylhexyl, and 1-propyl-pentyl isomers

+Karathane - Trademark of Rohm & Haas Company

CAUTION

Keep Out Of Reach Of Children

See rear panel for further precautions.

Net Weight: 14 ounces

MANUFACTURED IN U.S.A. BY

FMC CORPORATION
A.C.D. INDUSTRIAL SALES DEPARTMENT
MIDDLEPORT, N.Y. 14105

FMC
Chemicals