

BEST AVAILABLE COPY

ROSE AND FLORAL SPRAY

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

ACTION

Harmful if swallowed or inhaled. Avoid contact with skin, eyes, and foodstuffs. Avoid breathing vapors. Wash eyes or skin thoroughly with water.

PHYSICAL OR CHEMICAL HAZARDS

Flammable contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 100°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

DISPOSAL: Empty container and dispose of in trash. Do not incinerate.

Hold can at least 18 inches from plant, with nozzle directed away from you. Press actuator button to release in short bursts. Contact both upper and lower leaf surfaces. Avoid visibly wetting foliage. Spray before infestation becomes severe and repeat at 7 to 10 day intervals or as necessary.

This ornamental spray may be used on plants, as a multipurpose spray in small gardens and for spot treatment of incipient insect infestations to prevent spreading in large gardens.

Do not use on maidenhair fern, lantana, cyclamen.

See Reverse Side

ACCEPTED
OCT 12 1979
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 4816-347

Keep Out Of Reach Of Children

CAUTION

Harmful if swallowed or inhaled. Avoid contact with skin, eyes, and foodstuffs. Avoid breathing vapors. Wash eyes or skin thoroughly with water.

0.09 4

NET WEIGHT 0.09 4

000000

FOR CONTROL OF GARDEN INSECTS. For use on roses, dahlias, asters and other ornamentals to kill Japanese beetles & by spray also well as aphids, exposed thrips and spider mites. Also effective against lace bugs, pavement ants, clover mites and armyworms.

This spray may be used on African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, ornamental grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, Wandering Jew and zinnias.

AS A FUNGICIDE, spray before infestation occurs for the prevention of powdery mildew and black spot on roses. Spray at 5 to 7 day intervals while danger of fungus infection persists.

Durco assumes all risks of use, storage or handling of this material not in strict accordance with instructions given herein.

25
[PEST CONTROL COMPANY]