

CODE 824.10

BEST AVAILABLE COPY

4816-348 Pm 12

# Rose and Floral Spray

## Residual

A Special Blend of Insecticide, Fungicide and Miticide

### ACTIVE INGREDIENTS:

Pyrethrins . . . . .	0.025%
Piperonyl Butoxide, Technical . . . . .	0.256%
Rotenone . . . . .	0.128%
Other cube' extractives . . . . .	0.237%
Folpet: N-(trichloromethylthio) phthalimide . . . . .	0.700%
Carbaryl: 1-Naphthyl N-methylcarbamate . . . . .	1.000%
Petroleum Distillate . . . . .	0.025%
INERT INGREDIENTS: . . . . .	97.629%
	100.000%

\*Equivalent to 0.205% (butylcarbityl)(6-propyl-piperonyl) ether and 0.051% related compounds


Keep Out Of Reach Of Children

## CAUTION

Harmful if swallowed or inhaled. Avoid breathing spray mist or contact with eyes or skin. Wash thoroughly after use. Avoid contamination of feed or foodstuffs.

See side panel for additional precautionary statement.

This product contains no chlorofluorocarbons.



EPA Reg. No. 4816-348,  
EPA Est. No. 279-NY-1

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### CAUTION

Harmful if swallowed or inhaled. Avoid breathing spray or contact with eyes or skin. Wash thoroughly after use. Avoid contamination of feed or foodstuffs.

#### ENVIRONMENTAL HAZARDS

Do not spray closer than 18 inches from plants. Do not use near fishbowls or aquaria. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

#### PHYSICAL OR CHEMICAL HAZARDS

Extremely flammable. Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

ACCEPTED

FEB 28 1979

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, this pesticide  
registered under  
EPA Reg. No. 4816-348

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

Wrap and dispose of in the garbage.

Hold container at least 18" from foliage, spray lightly in one second bursts, spraying both top and underside of foliage. Injury to tender foliage may occur if plants are wet when treated or in the presence of high humidity. Do not spray blooming African Violets or Wax Begonias.

For control of the insect listed with the ornamentals below, treat when infestation occurs. Properly treated, foliage will be protected from the specified insects for about one week. See other specific directions for listed ornamentals.

See rear panel