

Philox	White Flies Mealy Bugs Mites Thrips (Exposed) Aphids	Powdery Mildew	Powdery Mildew: Begin before disease appears. Repeat at 7 to 10 day intervals or more frequently during rains or high humidity
Rhododendrons	Lace Bugs Mealy Bugs Aphids Scale Thrips (Exposed) White Flies		
Roses	Aphids Leafhoppers Rose Chafer Japanese Beetles Rose Slugs Leafrollers Fall Webworms Mites Plant Bugs Scale White Flies Mealy Bugs	Black Spot Powdery Mildew	Black Spot, Powdery Mildew: Begin when first leaves unfold, repeat treatment at 7 to 10 day intervals through the growing season
Rubber Plants	Lace Bugs Scale Mealy Bugs Thrips (Exposed)		
Snapdragons	Mites Stink Bugs Aphids	Anthracoese Powdery Mildew Rust	Anthracoese, Powdery Mildew, Rust: Begin when plants emerge and repeat at 3 to 7 day intervals
Wandering Jew	Orange Tortrix Mealy Bugs Scale		
Zinnias	Japanese Beetles Blister Beetles Flea Beetles Plant Bugs Leafhoppers Thrips (Exposed) Mealy Bugs Mites	Alternaria leaf-spot	Alternaria Leafspot: Begin when plants emerge and repeat at 7 to 10 day intervals

STORAGE AND DISPOSAL

Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

May be harmful if swallowed. Avoid breathing spray mist. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Contact a physician or Poison Control Center immediately. Do not induce vomiting unless directed by a physician.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF IN EYES: Flush with plenty of water. Contact a physician if irritation persists.

IF ON SKIN: Remove contaminated clothing and wash affected areas of skin with soap and water. Contact a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL & CHEMICAL HAZARDS

Extremely flammable. Contents under pressure. Keep away from fire, sparks and heated surfaces. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given here-with.

