

BEST AVAILABLE COPY

CODE 72310

PYRENONE[®] MALATHION RESIDUAL SPRAY

EPA Reg. No. 4816-349

EPA Est. No. 279-NY-1

DIRECTIONS FOR USE

- *A Quick Acting Surface Spray for Indoor and Outdoor Use in Homes, Institutions, Restaurants, Food Processing Plants and Stored Grain Areas.*
- *For Control of Cockroaches, Ants, Spiders, Crickets, Clover Mites, Carpet Beetles, Brown Dog Ticks, and Stored Grain Insects.*
- *Residual Deposit Effective Against Resting House Flies, Wasps and Mosquitoes.*

ACTIVE INGREDIENTS:

Pyrethrin.....	0.050%
*Piperonyl Butoxide, Technical.....	0.125%
**Malathion.....	2.000%
***INERT INGREDIENTS.....	97.825%
	100.000%

*Equivalent to 0.1% (butylcarbityl) (6-propylpiperonyl) ether and 0.025% related compounds.

**0,0-dimethyl phosphorodithioate of diethyl mercaptosuccinate

***Contains Aromatic and Aliphatic Petroleum Distillates

PYRENONE - Registered trademark of Fairfield American Corporation

KEEP OUT OF REACH OF CHILDREN
CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Contains petroleum distillate. Call a physician at once.

IF INHALED: Remove victim to fresh air. Apply respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with water. Call a physician if irritation persists.

See reverse for additional precautions.

FA FAIRFIELD
AMERICAN
CORPORATION
201 Route 1 North, Rutherford, N.J. 07070

NET CONTENTS: _____

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use only with adequate ventilation. After using this product indoors, ventilate thoroughly before occupying enclosed spaces. Do not allow contact with treated surface until sprays have dried.

Food Handling Establishments:

Places other than private residences in which exposed food is held, processed, prepared or served.

Food Areas - Application Limited to Crack and Crevice Treatment Only: Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) and serving areas (when food is exposed and facility is in operation).

To control *cockroaches, ants, waterbugs, silverfish, spiders and crickets*, apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide, in points between different elements of construction between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, in conduits, motor housings, junction or switch boxes. Prior to application de-energize electrical equipment. After application allow time for oil to evaporate before starting motors or placing switches in "ON" position. Care should be taken to avoid depositing the product on to exposed surfaces or introducing the material into the air. Avoid contamination of food and food processing surfaces.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

Serving Areas: Facilities where foods are served such as dining room, but excluding areas where foods may be prepared or held, apply as a spot treatment to selective surfaces, such as baseboards, under elements of construction and into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed).

Non-Food Areas. Including garbage rooms, lavatories, floor drains (to sewers), entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas

where insects hide or through which they may enter. Repeat treatment as required.

Brown Dog Ticks: Thoroughly spray infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets and localized areas of floor and floor coverings. Applications should be repeated as infestations warrant and as reinfestations occur. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with this formulation.

Fleas, Ants, Brown Dog Ticks, Clover Mites, Crickets, Earwigs, Millipeds Outdoors: For treatment of localized infestations of these insects in outdoor areas or where these insects may enter the dwelling, spray infested areas thoroughly. For Ants, thoroughly wet hills and runways. Repeat treatment as necessary. Do not spray vegetation.

Flies, Mosquitoes, Wasps and Small Flying Moths: Spray surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages and other places where these insects alight or congregate. Repeat treatment as necessary.

Stored Product Insects: For the protection of stored grains such as wheat, oats, corn, rye, barley, grain sorghum and field or garden seeds against *confused flour beetles, rice weevils, granary weevils, sawtoothed grain beetles, flat grain beetles, red flour beetles, rusty grain beetles, lesser grain borer and Indian meal moth.*

Before storing grains, treat walls, floors and machinery grain elevators, truck beds, boxcars and ships' holds. Before loading grain, before applying formulation, clean elevators, boxcars, etc. thoroughly. Remove and burn all sweepings and debris.

For use in boxcars for loading and transporting bags of flour and packaged cereals. For the control of *confused flour beetles, rice weevils, granary weevils, sawtoothed grain beetles, flat grain beetles, red flour beetles, rusty grain beetles, lesser grain borer, Indian meal moth and mill pests* infesting empty boxcars which bagged flour and packaged cereals are to be loaded and transported, apply as follows: Clean the boxcars thoroughly. Then remove and burn all sweepings and debris. Spray walls and floors to the point of runoff. Let the sprayed boxcars stand empty with doors open until the spray has thoroughly dried. Line the walls and floors of the boxcars with kraft paper before loading.

CONTINUED ON REVERSE

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

May be harmful if swallowed, inhaled or absorbed through skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should be avoided. Do not use as a space spray. Wash after handling. Remove children, pets or fish bowls from quarters. Cover foods and any utensils that may be used for foods.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. Do not apply directly to water or wetlands (ie., swamps, bogs, marshes, and potholes). Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water when disposing of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

ACCEPTED
FEB 08 1989
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. *4916-349*

BEST AVAILABLE COPY

1 00 00
0 0 0 0