

P-11 4816-350

PM-12

121

CODE 280-02

FLEA AND TICK SPRAY FOR DOGS

EPA Reg. No. 4816-350

EPA Est. No. 279-NY-1

A specially designed formulation that kills Fleas, Ticks and Lice -- stops scratching due to these pests and controls re-infestation of these unwanted parasites.

Also designed into this formulation is a repellent that keeps Gnats, Mosquitoes and Flies away for up to 4 to 8 hours after application.

ACTIVE INGREDIENTS

Pyrethrins	0.06%
*Piperonyl Butoxide, Technical	0.60%
Carbaryl: 1-Naphthyl N-methylcarbamate	0.50%
Butoxypolypropylene Glycol	5.00%
INERT INGREDIENTS:	93.74%
	100.00%

*Equivalent to 0.45% (L-tylcarbityl)(6-propylpiperonyl) ether and 0.12% related compounds

**Contains Petroleum Distillate

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See rear panel for use cautions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To control fleas and lice on dogs:

Remove protective cap, hold container upright, nozzle away from you. With nozzle 10 to 12 inches away, direct spray over the animal. Beginning at the tail, spray over the animal until the entire coat is damp up to back of neck. On long-haired dogs, ruffle the coat and spray against the lay of hair, spraying directly behind hand so that spray reaches skin. Avoid spraying face and scrotum. An application of 30 to 45 seconds is usually sufficient for an average size dog. Repeat application weekly if necessary.

For best results in controlling tick infestations, locate ticks and spray directly on them.

In kennels or other sleeping quarters to control these insects and to deodorize the quarters, spray the animal regularly as above and spray bedding, walls, cracks, crevices and flooring as often as necessary.

NET CONTENTS: _____

280-02 1184

STORAGE AND DISPOSAL

Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION

May be harmful if swallowed. Avoid breathing spray mist. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Do not use this product in commercial food areas of food handling establishments, restaurants, or other places where food is prepared or processed.

HAZARDS TO DOMESTIC ANIMALS

Do not spray directly in/on eyes, mouth or genitalia of pets. Do not treat or cause exposure to kittens or puppies less than four weeks old. Do not use this product on pregnant animals.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Contact a physician or Poison Control Center immediately. Do not induce vomiting unless directed by a physician.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF IN EYES: Flush with plenty of water. Contact a physician if irritation persists.

IF ON SKIN: Remove contaminated clothing and wash affected areas of skin with soap and water. Contact a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL & CHEMICAL HAZARDS

Flammable. Contents under pressure. Do not use near fire, sparks or flame. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given here-with.

BEST AVAILABLE COPY

ACCEPTED

MAR 0 1 1985

FAIRFILL AMERICAN CORPORATION

238 W. SON AV
NEWARK, N.J. 07102

Under the Federal Insecticide, Fungicide and Rodenticide Act, this pesticide is registered under EPA Reg. No. 4816-350

FLEA AND TICK SPRAY FOR DOGS

EPA Reg. No. 4816-350

EPA Est. No. 279-NY-1

A specially designed formulation that kills Fleas, Ticks and Lice -- stops scratching due to these pests and controls re-infestation of these unwanted parasites.

Also designed into this formulation is a repellent that keeps Gnats, Mosquitoes and Flies away for up to 4 to 8 hours after application.

ACTIVE INGREDIENTS

Pyrethrins	0.06%
*Piperonyl Butoxide, Technical	0.60%
Carbaryl: 1-Naphthyl N-methylcarbamate	0.50%
Butoxypolypropylene Glycol	5.00%
Petroleum Distillate	0.33%
INERT INGREDIENTS	93.51%
	100.00%

*Equivalent to 0.4% (butylcarbitol)(4-propylpiperonyl) ether and 0.12% related compounds

**KEEP OUT OF REACH OF CHILDREN.
CAUTION**

See rear panel for use cautions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To control fleas and lice on dogs:

Remove protective cap, hold container upright, nozzle away from you. With nozzle 10 to 12 inches away, direct spray over the animal. Beginning at the tail, spray over the animal until the entire coat is damp up to back of neck. On long-haired dogs, ruffle the coat and spray against the lay of hair, spraying directly behind hand so that spray reaches skin. Avoid spraying face and scrotum. An application of 30 to 45 seconds is usually sufficient for an average size dog. Repeat application weekly if necessary.

For best results in controlling tick infestations, locate ticks and spray directly on them.

In kennels or other sleeping quarters to control these insects and to deodorize the quarters, spray the animal regularly as above and spray bedding, walls, cracks, crevices and flooring as often as necessary.

NET CONTENTS: _____

STORAGE AND DISPOSAL

Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS CAUTION

May be harmful if swallowed. Avoid breathing spray mist. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Do not use this product in commercial food areas of food handling establishments, restaurants, or other places where food is prepared or processed.

HAZARDS TO DOMESTIC ANIMALS

Do not spray directly in/on eyes, mouth or genitalia of pets. Do not treat or cause exposure to kittens or puppies less than four weeks old. Do not use this product on pregnant animals.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED Contact a physician or Poison Control Center immediately. Do not induce vomiting unless directed by a physician.

IF INHALED Remove affected person to fresh air. Apply artificial respiration if indicated.

IF IN EYES Flush with plenty of water. Contact a physician if irritation persists.

IF ON SKIN Remove contaminated clothing and wash affected areas of skin with soap and water. Contact a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL & CHEMICAL HAZARDS

Flammable. Contents under pressure. Do not use near fire, sparks or flame. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions on label with.

ACCEPTED

MAR 01 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 4816-350