

CODE  
797.01

Silica gel

4816-353

05/07/1974

NET WEIGHT  
40 LBS.

## DRIONE®

INSECTICIDE  
EPA REG. NO. 4816-353

### DIRECTIONS FOR USE

#### ACTIVE INGREDIENTS

Pyrethrins	1.00%
*Piperonyl Butoxide, Technical	10.00%
Amorphous Silica Gel	40.00%
Petroleum Hydrocarbons	49.00%
	100.00%

\*Equivalent to 8.0% (butylcarbityl)  
(6-propylpiperonyl) ether and 2.0%  
of related compounds.

### CAUTION

#### KEEP OUT OF REACH OF CHILDREN.

Avoid Inhalation

Do not reuse container. Bury with wastes.

Do not use as a space, spot or surface  
spray in commercial food preparation  
areas or in edible product areas of food  
processing plants.

This product is toxic to fish. Keep out of lakes, streams or ponds.  
Apply this product only as specified on this label.

This product is a finely divided powder which combines the flushing  
and killing powers of pyrethrins and piperonyl butoxide with  
the dehydrative principle of thermally attrited hydrogel. It is re-  
latively odorless and non-staining and may be used in accordance  
with directions in homes, restaurants, stores, hotels, offices,  
plants and warehouses. When used as directed, it is highly effective  
in controlling such insects as ants, roaches, silverfish, bed  
bugs, fleas, lice, ticks and dry wood termites.

ACCEPTED

MAY 7 1974

INSECTICIDE  
FUNGICIDE AND MITTICIDE ACT  
FOR ECONOMIC PESTION REGISTER-  
ED UNDER NO. 4816-353 SUBJECT  
TO ATTACHED COMMENTS.

#### APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

Food processing plants and warehouses, bakeries,  
beverage plants, restaurants, supermarkets, meat  
and poultry processing plants, hotels, motels,  
hospitals and schools:

Using a bulbous duster  
Limited to Crack and Crevice Treatment Only. Apply a small  
amount of material directly into cracks and crevices such as  
expansion joints between different elements of construction or  
between equipment bases and the floor, wall voids, motor hous-  
ing, junction boxes or switch boxes, conduits or hollow equip-  
ment legs where roaches, ants, silverfish, spiders and crickets  
hide. Care should be taken to avoid depositing the product onto  
exposed surfaces or introducing the material into the air. Avoid  
contamination of food or food processing surfaces.

Applications of this product in the food areas of food handling  
establishments, other than as a crack and crevice treatment, are  
not permitted.

#### NON FOOD AREAS:

Homes, institutions, hospitals, office buildings,  
hotels, motels, theaters and schools:

To control such running and crawling insect life as ants, cockroaches, silverfish,  
and fleas in animal quarters, distribute Drione at the rate of 2 ounces per 100  
square feet of surface area. Apply a continuous visible film underneath and  
behind stoves, refrigerators and appliances. Treat on, around and behind mould-  
ing, shelving, baseboards, pipe openings, cracks, crevices and other areas where  
insects may hide. For severe infestations apply Drione behind cabinets and  
walls, in crawl spaces and attics, at the rate of 16 ounces per 1000 square feet  
of surface area. Repeat treatment as necessary.

SEWER TREATMENTS: American and Oriental cockroach infestations in  
sanitary sewers may be treated with approximately 0.3 lb. Drione per manhole.  
When treating sewers, one manhole per 200 feet of line should be treated.  
Treatments are made by removing the manhole cover and replacing with a disc  
of plywood bored to receive the usual flexible hose from portable or truck-  
mounted ventilating equipment.

0.3 lb. of Drione is introduced into the ventilating air, to be dis-  
persed quickly and thoroughly through the system.

BED BUGS: Take bed apart. Dust into joints and channels. If hollow, such  
as square or round tubing, see that the interior of framework is well dusted.  
Mattress should be dusted, especially tufts, folds and edges. Picture frame  
moldings and all cracks and crevices in the room should be treated.

DRY WOOD TERMITES: These termites are restricted to certain parts of  
the country and should not be confused with Subterranean termites. Use an  
electric or hand operated rotary duster to distribute Drione through an entry,  
e. g., crawl hole into the attic and the crawl space of the building. Rate of  
application is recommended at one (1) pound per 1,000 square feet of floor  
area. All wood surfaces must be covered. All vents and louvers on the wind-  
ward side to be closed.

FLEAS - Dogs and Cats: Liberally apply powder to the animal, rubbing  
thoroughly to the skin. Begin with the neck and include the underbody, legs,  
feet, and the base of the tail. Repeat as necessary. Surfaces of kennels should  
be dusted at rate of one ounce per 50 square feet. Heavily infested lawns,  
basements and crawl spaces should be dusted at rate of 16 ounces per 1000  
square feet. Repeat as necessary.

Dealers Should Sell in Original Packages Only.

TERMS OF SALE OR USE: On purchase or use of this product buyer and user agree to the following conditions: WARRANTY: Niagara warrants that this prod-  
uct, at the time of sale by Niagara, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions  
for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. NIAGARA MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED. DAMAGES: Buy-  
er's or user's exclusive remedy for damages for breach of warranty or negligence shall be limited to direct damages not exceeding the purchase price paid and shall  
not include incidental or consequential damages. Notice of any claim must be reported to Niagara within 180 days of discovery by buyer or user, failing which buyer  
or user waives any claim for such damage. EXCUSE FROM NON-CONTROLLABLE CONDITIONS: Because of certain critical conditions created or incurred by  
buyer or user, or over which Niagara has no control, buyer and user, as a condition of purchase or use, assume responsibility for and release Niagara from, liability  
arising out of the handling or use of the product attributable to such causes. No person is authorized to vary or waive any statement contained herein.

MANUFACTURED IN U.S.A. BY  
FMC CORPORATION  
AGRICULTURAL CHEMICAL DIVISION  
P.O. BOX 14105

FMC Chemicals