

CODE 722.50

DRIONE Insecticide

A Desiccant Dust

PROVIDES QUICK CONTROL
KILLS UP TO 6 MONTHS WHEN LEFT UNDISTURBED
NON-STAINING AND RELATIVELY ODORLESS
FOR USE IN RESIDENCE, INSTITUTIONS, FOOD
PLANTS, GRANARIES AND ON CATS AND DOGS

CONTROLS ANTS, COCKROACHES, SILVERFISH, BEEBUSSES,
FLEAS, LICE, BEES, AND MOSQUITOES. IN THE USE
DIRECTIONS ON HOME-OWN LITERATURE, PESTS TO
PROTECT AGAINST ENTRANCE TO HOME TO TERMITE

ACTIVE INGREDIENTS

Pyrethrins	1.0%
*Piperonyl Butoxide, Technical	10.0%
Amorphous Silica Gel	40.0%
Petroleum Distillate	49.0%
	100.0%

*Equivalent to 8.0% butylcarbitol 16-propyl-
piperonyl ether and 2.0% related compounds

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See back panel for additional precautionary statements

EPA Reg. No. 4816-353 EPA Est. No. 279-NY-1

DRIONE - Registered Trademark of Fairfield
American Corporation

DIRECTIONS FOR USE

APPLICATIONS WITHIN FOOD AREAS

Food processing plants and warehouses, bakeries,
beverage plants, restaurants, supermarkets, meat
and poultry processing plants, hotels, motels,
hospitals, and schools

Limited to Crack and Crevice Treatment Only.
Using a bulb or duster apply a small amount of
material directly into cracks and crevices such
as expansion joints between different elements
of construction or between equipment bases and
the floor, wall voids, utility housings, junction
boxes or switch boxes, conduits or hollow

NET CONTENTS

equipment legs where cockroaches, ants, silverfish,
fleas, and lice may hide. Care should be taken to avoid
the product and keep it away from children. Do not
allow the material into the air. Avoid contamination
of food or food processing surfaces.

APPLICATION OF THIS DUST IN THE FOOD AREA
OF FOOD HANDLING ESTABLISHMENTS, SUCH AS
A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED
NON-FOOD AREAS

Homes, institutions, hospitals, office
buildings, hotels, motels, theaters, schools,
warehouses, truck trailers and railroad cars
to control crawling insects such as ants,
cockroaches, silverfish, firebrats, spiders,
beetles, flies, ticks, lice, and fleas in
dormitories, distribute in the at the rate
of 2 pounds per 100 square feet of surface
area. Apply in the following areas: under
nests and behind stairs, refrigerators and
appliances, treatment around and behind
moldings, hollow baseboards, baseboards,
cracks, crevices, and other areas where insects
hide. For severe infestations, apply Drione
behind cabinets and walls, in crawl spaces and
attics at the rate of 16 pounds per 100 square
feet of surface area. Repeat treatment as
necessary.

STORED PRODUCT PESTS

Used in the control of cadellies, cheese
beetles, cigarette beetles, confused flour
beetles, dark meal worms, drug store beetles,
grain mites, grain weevils, stored product beetles,
rice weevils, and stored grain beetles and
yellow meal worms in mills, elevators and
granaries. Apply to waste materials, dust, dirt,
and any other debris. Thoroughly treat floors,
walls and other surfaces in bins, storage and
handling areas. Apply into cracks and crevices
and other difficult to reach areas where insects
may hide.

BEES AND WASPS

It is generally advisable to treat wasps and bee
nests in the evening when insects are less
active and have returned to the nest. Using
hand or power duster or blower apply the dust
with extension tubes if necessary, thoroughly
dust nest and entrance and surrounding areas
where insects alight. Nests in wall voids can
be reached by forcing dust into the voids.

SEE REVERSE SIDE

ACCEPTED
NOV 0 1981

4816-353

**FAIRFIELD
AMERICAN
CORPORATION**

3932 Salt Hill
Madison, New York 14111

... and surrounding area. For test results check nests carefully one or two days after treatment to insure complete kill; then remove and destroy to prevent emergence of newly-hatched insects. If removal is not feasible, retreat the nest, if necessary. Do not use this product to treat overhead nests.

SEWER TREATMENTS

American and Oriental cockroach infestations in sanitary sewers may be treated with approximately 6 ounces of Drione per manhole. When treating sewers, one manhole per 100 feet of line should be treated. Treatments are made by removing the manhole cover and replacing with a disc of plywood to receive the usual flexible hose from portable or truck-mounted ventilating equipment. 6 ounces of Drione is introduced into the vent-lating air to be dispersed quickly and thoroughly through the system.

BEDBUGS

Take bed apart. Dust into joints and channels. If hollow, cushion, base or round tubing, see that the interior of framework is well dusted. Mattresses should be dusted, especially tufts, folds, and edges. Picture frame moldings and all cracks and crevices in the room should be treated.

DRYWOOD TERMITES

To protect against entrance, using an electric or hand-operated rotary blower, distribute Drione through an existing or drilled hole into attic and crawl space of building at a rate of 1 pound per 1000 square feet of floor area. All vents and blowers in the windward side should be closed. All wood surfaces should be covered. In case of localized infestation, use to locate galleries and drill holes to inject Drione into the galleries. If a heavy secondary infestation is already well established, fumigation should be employed.

FLEAS - DOGS AND CATS

Liberal application of Drione to the body, especially to the neck, head, and inside of the ears, is recommended. The hair of the tail, chest, and belly are especially important kennels for fleas. Drione may be applied once per 24 hours to the body of infested dogs and cats. For cats, Drione should be applied at the rate of 1/2 ounce per 100 square feet. Repeat treatments.

... and surrounding area. For test results check nests carefully one or two days after treatment to insure complete kill; then remove and destroy to prevent emergence of newly-hatched insects. If removal is not feasible, retreat the nest, if necessary. Do not use this product to treat overhead nests.

DISPOSAL

Do not reuse container. Destroy when empty.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Avoid inhalation. Containers larger than one pound may not be used or stored in food handling establishments.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

Buyer assumes all risks of use storage or handling of this product not in strict accordance with directions given herewith.

BATCH