Reg # 4810-353 PH 15 p 1083

Mr. L. J. Feller Fairfield American Corporation 8th & Harrison Streets Frenchtown, MJ 08825

Dear Mr. Feller:

Subject: Drione Insecticide

EPA Registration No. 4816-353

Tour Amended Application Dated June 13, 1985

The amended labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is accepted.

We noted that you have included petroleum distillate as an inert compound in this formulation. We assume you have information/evidence indicating that petroleum distillate has no insecticidal activity in this formulation and therefore, should be considered inert.

Add the statement "For Industrial/Commercial Use Only" to the label.

Sincerely yours,

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (TS-767)

P.S. A stamped copy of the label is enclosed for your records.

RD/IRB:JOB:88039:A.Heyward:RD-33:Kendrick & Co:898-1270:7/15/85:Del.8/15/85:eg
REVISED:RD/IRB:JOB:88049:A.Heyward:RD-33:Kendrick&Co:898-1270:7/31/85:Del.8/31/85:DAA

CONCURREN 2ES									
EYMECK - 75-76	7								
SURMAME Afficial	ref)								
DATE > gr./c	75								
DA F. 1200 1 (4.61)									

COMMENTS MPA Letter Dutods

**CODE 722** 

# DRIONE Insecticide

EPA Reg. No. 4816-353

A Desiccant Dust

PROVIDES QUICK CONTROL.

KILLS UP TO 6 MONTHS WHEN LEFT UNDISTURBED.

EPA

NON-STAINING AND RELATIVELY ODORLESS.

FOR USE IN RESIDENCES, INSTITUTIONS, FOOD PLANTS, GRANARIES AND ON CATS AND DOGS.

CONTROLS ANTS, COCKROACHES, SILVERFISH, BEDBUGS, FLEAS, LICE, BEES, AND AS STIPULATED IN THE USE DIRECTIONS ON NUMEROUS STORED PRODUCT PESTS. TO PROTECT AGAINST ENTRANCE OF DRYWOOD TERMITES.

ACTIVE INGREDIENTS:	
Pyrethring	1.0%
*Piperonyl Butoxide, Technical	10.0%
Amorphous Silica Gel	40.0%
**INERT INGREDIENTS:	49,0%
	100.07

"Equivalent to 8.0% (butylcarbityl)(6-propylpiperonyl)ether and 2.0% related empounds.

\*\*Contains Petroleum Distillate.

## KEEP OUT OF REACH OF CHILDREN. CAUTION

See back panel for additional precautionary statements.

DRIONE - Registered Trademark of Fairfield American Corporation

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

APPLICATIONS WITHIN FOOD AREAS:
Food processing plants and warehouses, bakeries, beverage plants, restaurants, supermarkets need and poultry processing plants, hotels, motels, hospitals, and schools Limit to Craek and Craylor Treatment Only:

Limit of Crack and Crevice Treatment Only:
Using a billipous duster apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where cockroaches, ants, silverfish, spiders, boxelder hugs, and crickets hide. Care should be taken to avoid depositing the production to exposed surfaces or introducing the material into the air. Avoid contamination of boost or kind processing surfaces.

NET CONTENTS:

DEST AVAILABLE COPY

1 1985 AUG

Federal Insecticide, APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD H RECEIVED THE FOOD AREAS OF FOOD HE THE FOOD AREAS OF FOOD HE THE FOOD AREAS OF FOOD HE THEN AS A CRACK AND CREVICE TREAT amended, for the pesticide NOT PERMITTED. PROPERTY NO. NON-FOOD AREAS:

Homes, institutions, hospitals, office buildings, hotels, motels, theaters warehouses, truck trailers and railroad cars: To control crawling insects cockroaches, silverfish, firebrats, spiders, boxelder bugs, ticks, lice, an animal quarters, distribute Drione at the rate of 2 ounces per 100 squares. area. Apply a continuous visible film underneath and behind stairs, refri appliances. Treation, around and behind moldings, shelving, baseboard openings, cracks, crevices, and other areas where insects hide. For sev infestations, apply Drione behind cabinets and walls, in crawl spaces and rate of 16 ounces per 1000 square feet of surface area. Repeat treatmen

STORED PRODUCT PESTS:

To aid in the control of cadelles, cheese mites, cigarette beetles, confu beetles, dark meal worms, drigstore beetles, grain mites, granary week beetles, rice weeklis, sawtoothed grain beetles and yellow meal worms elevators and granaries. Clean up waste materials, dust, dirt, and any of Thoroughly treat floors, walls and other surices in bins, storage and h Apply into cracks and crevices and other difficult to reach areas where

BEES AND WASPS:

It is generally advisable to treat wasp and bee nests in the evening whe less active and have returned to the nest. Using hand or power duster of means, with extension tubes it necessary, thoroughly dust nest and ensurrounding areas where insects alight. Nests in wall yolds can be local with your ear against the wall. Drill a hole in the area, blow dust in, and ground wasps, dust entrance and surrounding areas. For best results of arefully one or two days after treatment to ensure complete kill, then it destroy nest to prevent emergence of newly-hatched insects. If remova feasible, refreat the nest, if necessary. Do not use this product to treat

American and Oriental cockroach infestations in sanitary sewers may be approximately 6 ounces of Drione per manhold. When treating sewers, per 200 feet of line should be treated. Treatments are made by removing cover and replacing with a disc of plywood bored to receive the usual f from portable or truck-mounted ventilating equipment, 6 ounces of Drid introduced into the ventilating air to be dispersed quickly and thorough system

**BEDBUGS**:

Take bed apart. Dust into joints and channels, If hollow, such as square if see that the interior of framework is well dusted. Mattresses should be du tufts, folds, and edges. Picture frame moldings and all cracks and crevice should be treated

DRYWOOD TERMITES

To protect against entrance, using an electric or hand operated rotary du Drione through an entry, e.g. crawl hole into attic and crawl space of built pound per 1000 square, feet of floor area. All vents and blowers on the should be closed. All wood surfaces should be covered. In case of localize probe to locate galleries and drill holes to inject Drione into the galleries heavy infestation has already developed, fumigation should be employed

FLEAS AND TICKS ON DOGS AND CATS:

Liberally apply powder to the animal. Rubbing ihoroughly to the skin. B and include the uniterbody, legs, feet and the base of the fail. Repeat as Surfaces of kennels should be dusted at the late of one ounce per 50 sc infested lawns, basements, and crawl spaces should be dusted at the rai 1000 square feet. Repeat as necessary

De HOJ treat kittens or pupples less than four weaks old.

SOW BUGS, PILLBUGS, GROUND BEETLES. EARWIGS, MILLIPEDES, AND SCORPIONS:

Apply around doors and windows and other places where these pests in Treat baseboards, storage areas and other locations where these pests in

SEE REVERSE SIDE

### :: STORAGE AND DISPOSAL

Do not contempate water, food or feed by storage or disposal, PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Keep away from moisture. Sweep up and dispose of with chemical waste

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved washe disposal facthity. CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in same manner.

CONTAINERS ONE POUND AND SMALLER: Do not reuse container, Wrap container in several layers of newspaper and discard in trash.

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### CAUTION

Avoid inhalation. Containers larger than one pound may not be used or stored in food handi'ug establishments.

### STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: To not induce vomiting unless directed by a physician. Contains petroleum solvent. Contact a physician or Poison Control Center immediately.

IF INHALED: Remove victim to fresh air. Apply krtificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Plush with plenty of water. Call a physician if irritation persists.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

Buyer assumes all the risks of use storage or handling of this product not in strict accordance with directions given herewith

	8/	VTCH					
ļ							
Ī	•						
<b>L</b>							
Printed in U.S.A.							