

CODE 820.55

PYRENONE

HOUSE AND GARDEN AQUEOUS PRESSURIZED SPRAY

Contains PYRENONE

An effective combination of pyrethrins and piperonyl butoxide for use in the home and garden

ACCEPTED
AUG 30 1979
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under PA Reg. No. 4816-30

ACTIVE INGREDIENTS

Pyrethrins	0.25%
*Piperonyl Butoxide, Technical	1.00%
**INERT INGREDIENTS	98.75%
	100.00%

*Equivalent to 0.8% (butylcarbityl)(6-propyl-piperonyl) ether and 0.2% related compounds

**Contains Petroleum Distillate

PYRENONE - Registered trademark of Fairfield American Corporation

CAUTION

Keep Out Of Reach Of Children

Harmful if swallowed or inhaled.

See side panel for additional precautionary statements.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed or inhaled. Avoid breathing spray or contact with eyes or skin. Wash thoroughly after use. Avoid contamination of feed and foodstuffs.

Do not spray closer than 18 inches from plants. Do not use near fishbowls or aquaria.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

DISPOSAL: Wrap container and put in trash collection.

SHAKE BEFORE USING.

Hold container upright, nozzle away from you. Press valve down and spray as directed.

For the Control of the Following Household Insects

House flies, mosquitoes, flying moths (millers), gnats and wasps: Shut doors and windows and spray room at the rate of 5 to 6 seconds per 1000 cubic feet. Keep room closed for at least 10 minutes after spraying. Do not remain in treated areas and ventilate the area after treatment is completed.

To kill roaches and silverfish, spray directly into cracks, crevices and other secluded places. Direct spray at insects whenever possible. Repeat treatment as necessary.

To kill ants, spray directly at insects and ant trails, window and door sills. Repeat as necessary for control.

EPA Reg. No. 4816-360
EPA Est. No. 279-NY-1

See rear panel

**FAIRFIELD
AMERICAN
CORPORATION**
3832 Salt Road
Medina, New York 14103

74-1000
07-000

For The Control of the Following Garden Insects

For use on African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwoods, English ivy, euonymus, fuschias, geraniums, crassulas, grape vines, Kentia palms, laurels, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias to kill Japanese beetles hit by spray, as well as aphids, exposed thrips, spider mites, lace bugs, pavement ants, clover mites and army worms: Spray with slow sweeping motion, not closer than 18 inches from plants. Avoid wetting plants. Spray plants only when air is still. For single plants, spray in short bursts. Repeat as necessary for control. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F.

May be used on plants, as a multi-purpose spray in small gardens and for spot treatment of incipient insect infestations to prevent spreading in large garden areas.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

RECEIVED SEP 5 - 1979

054
1.00.00