



DRY FLY KILLER

INSECTICIDE

EPA Reg. No. 4816-363

HOW TO USE DRY FLY KILLER:

DRY BAIT Dry Fly Killer is ready-to-pour or shake from can.

SYRUP BAIT Dissolve contents of Dry Fly Killer Container (1 pound) in 1 pint (2 cupfuls) of water. Apply on surfaces where flies congregate, with paint or calcimine brush.

DIRECTIONS FOR APPLICATION: Dairy Barns - Milksheds - Stables - Livestock Barns - Loafing Sheds - Pig Pens - and Outdoor areas.

Scatter dry bait at rate of 1/4 lb. per 1000 sq. ft. on ground or other areas where flies congregate. Ideal baiting sites are around garbage cans, doorways, feedrooms, alleyways, and window sills. On freshly limed floors scatter dry bait on paper or clean feed sacks.

Brush freshly prepared syrup bait on outer surfaces of animal enclosures, supporting posts, rafters and along ceiling cracks. Use at rate of 1 to 3 gallons per 1000 sq. ft. For most effective control repeat as often as necessary, using both dry bait and syrup bait application.

USAGE CAUTIONS

Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

This product is toxic to fish and wildlife, also birds. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

ACTIVE INGREDIENTS:

- * 2,2-Dichlorovinyl dimethyl phosphate . . . 0.460%
- Related Compounds 0.040%
- ** O,O-Dimethyl (2,2,2-trichloro-1-hydroxyethyl) phosphonate 0.500%

INERT INGREDIENTS:

	99.000%
TOTAL	100.000%

- * DDVP
- ** Reg. U.S. Pat. Off. by Farbenfabriken Bayer A. G. Chemagro Corp. Licensee U.S. Patent No. 2,701,225

WARNING

KEEP OUT OF REACH OF CHILDREN.

WARNING: Harmful if swallowed, inhaled or absorbed through skin. Wash thoroughly after applying. Wash all contaminated clothing with soap and hot water before re-use. Avoid contact with the skin. Do not contaminate feed or food stuffs. Keep out of reach of children. Do not apply where poultry or animals, especially young calves, can lick it. Do not contaminate milk, milking equipment, feed or drinking water. Do not use in homes. If swallowed - Atropine is antidotal.

NET WEIGHT - 13 OUNCES

MANUFACTURED IN U.S.A. BY
FMC CORPORATION
A.C.D. INDUSTRIAL SALES DEPARTMENT
MIDDLEPORT, N.Y. 14105

FMC
Chemicals