### **CODE 820.27**

# Purenone dairy & food plant aerosou III

PYRENONE AEROSOL

AN INDUSTRIAL STRENGTH INSECTICIDE
LOW DOSAGE REQUIRED

For Use in Non-Residential Food Handling Areas including Darries and Hilkrooms.

Kills Elles, Mosquitoes, Gnats, Wasps and Small Flying Moths.

Kon-Aqueons, low Oil Pyrenone Insecticide

#### **ACTIVE INGREDIENTS**

Pyrethrins	0.5%
*Pironyl Butoxide, Technical	5.0%
"INERT INGREDIENTS	94. <u>5%</u>
	100.0%

\*Equivalent to 4.02 (butylcarbityl) (6-propylpiperonyl) ether and 1.02 relaced compounds.

"Contains Petroleum Distillate

## KEEP OUT OF REACH OF CHILDREN CAUTION

See rear panel for additional precautions.

PYRENONE - Registered Trademark of Fairfield American Corporation

This Product Contains Chiorofluorocarbon-11 and Chiorofluorocarbon-12

FPA Reg. No. 4816-365 EPA Est. No. 279-8Y-1

#### **DIRECTIONS FOR USE**

it is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Hold container upright, nozzle away from you and press actuator button -- spraying as directed.

In Dairies and Milk Rooms:
for rapid control of house files, mosquitoes,
gnats, wasps and small flying moths, close
windows and doors and spray at a rate of one
second per 1000 cubic feet of space. For
best results, keep area closed for 10 minutes
after spraying. Do not remain in treated area
and centilate after treatment is completed.

flies, Mosquitoes, Gmats, Rasps and Stall Flying Moths:

Close 11 doors and windows and spray room at the rate of 1 second per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Repeat treatment as nectssary.

Indian Meal Moths, Angoumpis Grain Moths: Close doors and windows, direct spray into all parts of rooms, especially around stored tood product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep areas closed for 15 minutes following treatment. Do not remain in treated areas and ventilate after treatment. Repeat application weekly or as needed.

PRECAUTIONARY STATEMENT \*\*
HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### CAUTION

Harmful if swallowed. Avoid contamination of feed and foodstuffs. The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Food should be removed or coveted during treatment. Any exposed utensils or food handling surfaces should be thoroughly cleaned before reuse.

Remove pets, birds and cover fish aquatia before spraying.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of takes, streams or ponds.

#### PHYSICAL OR CRUMICAL HAZARDS

Contents under pressure. Bo not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given berewith.



BEST AVAILABLE COPY

Do not incinerate. Wrap container and put in trash collection. NET CONTENTS FEB. 10 1982







