PM 10 1974 - 197 47 197

Roussel Uclaf Corporation 170 Beaver Brook Road Lincoln Park, NJ 07035

Attn: Nicole C. Puderbach

Subject: Pyrenone Stabilene Horse Insecticide

EPA Registration No. 4816-366

Application dated September 1, 1992

Dear Ms. Puderbach:

Ĭ

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely,

Richard F. Mountfort Product Manager 10

Insecticide & Rodenticide Branch Registration Division (H7505C)

# PYRENONE®

# STABILENE® HORSE INSECTICIDE

- \* KILLS AND REPELS STABLE FLIES, HORN FLIES, HOUSE FLIES, FACE FLIES, HORSE FLIES, DEER FLIES, MOSQUITOES AND GNATS.
- \* ALSO A GROOMING AID AND COAT CON-DITIONER <u>WITH A PLEASING CITRONELLA</u> <u>SCENT.</u>
- \* CONTAINS PYRENONE®, STABILENE® AND LANOLIN.

#### **ACTIVE INGREDIENTS:**

Pyrethrins	0.1%
*Piperon, Putoxide, Technical	1.0%
Butoxypolyp opylene Glycol	15.0%
"INERT INGREDIENTS	83.9%
	100.0%

\*Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds \*\*Contains Petroleum Distillate

PYRENONE - Registered Trademark of Fairfield American Corporation.

STABILENE - Registered Trademark of Union Carbide Corporation.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See adequate for actificated precautions

NE I CONTENTS



FAIRFIELD

AMERICAN

CORPORATION

201 ROUTE 17 NORTH, RUTHERFORD, N. 07070

# **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Pyrenone Stabilene Horse Insecticide has been especially developed for use on horses. It provides a protective hair coating against Ilies while imparting a high sheen to the hair when brushed out. 1 - 2 ounces per head per day gives adequate protection. Apply by either soft cloth or fine mist spray.

#### **USE TO WIPE ON:**

First, brush animal to remove excess dirt and dust. Moisten (but do not wet to the point of dripping) a soft cloth and rub over the hair. It is best to apply by rubbing against the hair growth. Give special attention to the legs, shoulders, shanks, neck and facial areas where flies most often are seen.

Only a light application is required. Avoid using an excessive amount on your horses. Do not wet skin.

After application, brush out thoroughly to bring out bright sheen on the coat.

Repeat daily or as required.

#### **USE AS A SPRAY:**

Pyrenone Stabilene Horse Insecticide may be applied as a fine mist spray to stable area and over and around stabled horses for fast paralysis and kill of flies. Do not wet horse's skin or exceed two ounces per application.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCE-DURES: Store upright at room temperature. Avoid exposure to extreme temperature. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste. PESTICIDE DISPO rinse water that ca instructions must be waste disposal faci

CONTAINER DISP then offer for recycle and dispose of in approved State and

CONTAINERS ON not reuse container of newspaper and

# STATEMENT C

IF SWALLOWED: directed by a phy cause aspiration. IF IN EYES: Flush a physician if irritat IF INHALED: Rer respiration if indica IF ON SKIN: Ren wash affected area

### PRECAUT HAZARDS TO HU

Harmful if swallow toods before spray

# ENVIRO

This product is tox water. Do not app Do not contaminat or disposal of was

# PHYSICAL

Do not use or store

Buyer assumes all of this product not igiven herewith.

Ju An 071792a

# ACCEPTED 30 SEP 1992

Under the Federal Insecticide.
Fungicide, and Hodenticide Act.
as amended, for the pesticide
registered under
EFA Reg. No. 4616-366