

DRP

301 / 12325-7
17 / 10

18 JUN 1984
(6/15/84)

Ms. Helen Theodore
Fairfield American Corporation
8th & Harrison Streets
Frenchtown, NJ 98825

Dear Ms. Theodore:

Subject: Amendment - Addition to Precautionary Statement
Drione Insecticide Spray
EPA Registration No. 4816-367
Your Application Dated May 15, 1984

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable, provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling.

1. There are omissions and contradictory statements in the proposed Hazards to Humans and Domestic Animals section. Add "Causes eye damage" to the beginning of this section. Add "Harmful if swallowed" after "or face shield." Note that these same two sentences may be deleted from the front panel signal word block.
2. Delete "Do not use in edible product areas;" through "while food is exposed." This contradicts the Food Areas application directions. This item should have been brought to your attention in 1974 when the crack and crevice food areas use was accepted.

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

RD/IRB:DCR-04443-LaRocca-reg-55-2276-Chi-02-6/13/84-Del-6/30/84

CONCURRENCES

SYMBOL ▶							
SURNAME ▶							
DATE ▶							

293

CODE 822.50

DRIONE[®] INSECTICIDE SPRAY

Fast Acting Spray Powder

Residual to Roaches

Controls Roaches, Silverfish, Bed Bugs & Fleas

Kills up to 7 months when left undisturbed.

For Use In Homes, Restaurants, Hospitals, Supermarkets, Schools, Institutions, Warehouses, Factories and Food Plants.

Acceptable for use in inedible product areas of Federally inspected Meat & Poultry Plants.

ACTIVE INGREDIENTS:

Pyrethrins	0.1%
*Piperonyl Butoxide, Technical.	1.0%
Silica Gel	4.0%
Petroleum Distillate	4.9%
INERT INGREDIENTS:	90.0%
	100.0%

*Equivalent to 0.8% (butylcarbityl) (6-propyl-piperonyl) ether and 0.2% related compounds

DRIONE-Registered trademark of Fairfield American Corporation

EPA Reg. No. 4816-367 EPA Est. No. 11525-R1-1

ACCEPTED with COMMENTS to EPA Letter Dated

JUN 18 1984

KEEP OUT OF REACH OF CHILDREN
DANGER
 Harmful if swallowed. Causes eye damage. See side panel for Statement of Practical Treatment and additional precautions.

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 4816-367

To control ants, cockroaches, silverfish, crickets, centipedes, millipedes, carpet beetles, spider beetles, ground beetles, earwigs, waterbugs and firebrats. Apply in small amounts directly into cracks and crevices using an injection or insertion tube, in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases and in conduits, motor housings, junction or switchboxes. Prior to application de-energize electrical equipment. After application allow time for solvent to evaporate before starting motors or placing switches in the "ON" position.

Care should be taken to avoid depositing the insecticide onto exposed surfaces or introducing it into the air. Avoid contamination of food or food processing surfaces.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED

SERVING AREAS: Facilities where foods are served such as dining rooms, but excluding areas where food may be prepared or held, apply as a spot treatment to selective surfaces, such as baseboards, under elements of construction into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed.)

NON-FOOD AREAS: Including garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply as a spot treatment to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter. Repeat treatment as required.

To control powder post beetles, treat infested wood using an injection or insertion tube. Apply small amounts directly into and around entrance holes.

To control fleas in animal quarters, treat bedding, floor and floor coverings and any areas where fleas may hide. If left undisturbed, a deposit of Drione will continue to kill fleas for several weeks. Repeat application when effectiveness diminishes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE AND AT INTERVALS DURING USE.

TO OPERATE: Hold can upright and press actuator button.

FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food is held, processed, prepared or served.

FOOD AREAS-APPLICATION LIMITED TO CRACK AND CREVICE

TREATMENT ONLY: Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) and serving areas (when food is exposed and facility is in operation).

3
3 of 3

To control bed bugs, take bed apart and treat cracks, joints and interior of framework. Mattresses should be treated, especially tufts, folds and edges. Do not use in hospital patient quarters.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Wrap container and put in trash container. Do not incinerate.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER

Causes eye damage. Avoid contact with skin or eyes. Wear goggles or face shield. Harmful if swallowed. Avoid contamination of food and foodstuffs. Remove pets, birds and cover or remove fish aqua lums before spraying.

STATEMENT OF PRACTICAL TREATMENT

- If in eyes- Flush eyes with plenty of water. Get medical attention.
- If swallowed- Call a physician or Poison Control Center immediately. Gastric lavage may be indicated if material was taken internally. DO NOT INDUCE VOMITING: vomiting may cause aspiration pneumonia.
- If inhaled- Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin- Remove contaminated clothing and wash affected areas with soap and water.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

NET CONTENTS _____

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Reg # 4816-367

PM-15
CODE 822.50

192

DRIONE[®] INSECTICIDE SPRAY

NOT REVIEWED

Fast Acting Spray Powder

Residual to Roaches

Controls Roaches, Silverfish, Bed Bugs & Fleas

Kills up to 7 months when left undisturbed.

For Use In Homes, Restaurants, Hospitals, Supermarkets, Schools, Institutions, Warehouses, Factories and Food Plants.

Acceptable for use in inedible product areas of Federally inspected Meat & Poultry Plants.

ACTIVE INGREDIENTS:

Pyrethrins	0.1%
*Piperonyl Butoxide, Technical.	1.0%
Silica Gel	4.0%
Petroleum Distillate	4.9%
INERT INGREDIENTS:	90.0%
	100.0%

*Equivalent to 0.8% (butylcarbityl)(6-propyl-piperonyl) ether and 0.2% related compounds

DRIONE-Registered trademark of Fairfield American Corporation

EPA Reg. No. 4816-367 EPA Est. No. 11525-R1-1

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See back panel for additional precautions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE AND AT INTERVALS DURING USE.

TO OPERATE: Hold can upright and press actuator button.

FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food is held, processed, prepared or served.

FOOD AREAS-APPLICATION LIMITED TO CRACK AND CREVICE

TREATMENT ONLY: Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) and serving areas (when food is exposed and facility is in operation).

82250 7/84

In Accordance with FR Notice 82-20
Based on Draft Labeling Dated 6/18/84

To control ants, cockroaches, silverfish, crickets, centipedes, millipedes, carpet beetles, spider beetles, ground beetles, earwigs, waterbugs and firebrats. Apply in small amounts directly into cracks and crevices using an injection or insertion tube, in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases and in conduits, motor housings, junction or switchboxes. Prior to application de-energize electrical equipment. After application, allow time for solvent to evaporate before starting motors or placing switches in the "ON" position.

Care should be taken to avoid depositing the insecticide onto exposed surfaces or introducing it into the air. Avoid contamination of food or food processing surfaces.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED


SERVING AREAS: Facilities where foods are served such as dining rooms, but excluding areas where food may be prepared or held, apply as a spot treatment to selective surfaces, such as baseboards, under elements of construction and into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed.)

NON-FOOD AREAS: Including garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply as a spot treatment to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter. Repeat treatment as required.

To control powder post beetles, treat infested wood using an injection or insertion tube. Apply small amounts directly into and around entrance holes.

To control fleas in animal quarters, treat bedding, floor and floor coverings and any areas where fleas may hide. If left undisturbed, a deposit of Drione will continue to kill fleas for several weeks. Repeat application when effectiveness diminishes.

See Reverse Side



**FAIRFIELD
AMERICAN**
CORPORATION
NEWARK, N.J. 07105

CODE 822.50

To control bed bugs, take bed apart and treat cracks, joints and interior of framework. Mattresses should be treated, especially tufts, folds and edges. Do not use in hospital patient quarters.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Wrap container and put in trash container. Do not incinerate.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER

Causes eye damage. Avoid contact with skin or eyes. Wear goggles or face shield. Harmful if swallowed. Avoid contamination of food and foodstuffs. Remove pets, birds and cover or remove fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

- If in eyes- Flush eyes with plenty of water. Get medical attention.
- If swallowed- Call a physician or Poison Control Center immediately. Gastric lavage may be indicated if material was taken internally. DO NOT INDUCE VOMITING: vomiting may cause aspiration pneumonia.
- If inhaled- Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin- Remove contaminated clothing and wash affected areas with soap and water.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

NET CONTENTS _____

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.