

Reg. # 4816-367

P11-15

131

CODE 822.50

DRIONE® INSECTICIDE SPRAY

Fast Acting Spray Powder

Residual to Roaches

Controls Roaches, Silverfish, Bed Bugs & Fleas

Kills up to 7 months when left undisturbed.

For Use In Homes, Restaurants, Hospitals, Supermarkets, Schools, Institutions, Warehouses, Factories and Food Plants.

Acceptable for use in inedible product areas of Federally Inspected Meat & Poultry Plants.

ACTIVE INGREDIENTS

Pyrethrins	0.1%
* Piperonyl Butoxide, Technical	1.0%
Silica Gel	4.0%
**INERT INGREDIENTS	94.9%
	100.0%

This product contains the toxic inert ingredient Methylene Chloride. Equivalent to 0.8% (butylcarbityl) (8-propylpiperonyl ether and 0.2% related compounds)

Contains Petroleum Distillate
DRIONE - Registered Trademark of Fairfield American Corporation
EPA Reg. No. 4816-367

ACCEPTED

NOV 10 1987

U.S. Food & Drug Administration
as an insecticide for use in homes, restaurants, hospitals, schools, institutions, warehouses, factories and food plants.
Registered under EPA Reg. No. 4816-367

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See back panel for additional precautions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE AND AT INTERVALS DURING USE.

TO OPERATE: Hold can upright and press actuator button

FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food is held, processed, prepared or served.

FOOD AREAS - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY: Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, driers, edible oils, syrups) and serving areas (when food is exposed and facility is in operation)

To control ants, cockroaches, silverfish, crickets, centipedes, millipedes, carpet beetles, spider beetles, ground beetles, earwigs, waterbugs and firebrats. Apply in small amounts directly into cracks and crevices using an injection or insertion tube, in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases and in conduits, motor

housings, junction or switchboxes. Prior to application de-energize electrical equipment. After application, allow time for solvent to evaporate before starting motors or placing switches in the "ON" position.

Care should be taken to avoid depositing the insecticide onto exposed surfaces or introducing it into the air. Avoid contamination of food or food processing surfaces

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

SERVING AREAS: Facilities where foods are served such as dining rooms, but excluding areas where food may be prepared or held, apply as a spot treatment to selective surfaces, such as baseboards, under elements of construction and into cracks and crevices. Avoid treating surfaces likely to be contacted by food (Do not apply when facility is in operation or foods are exposed)

NON-FOOD AREAS: Including garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or boiling) Apply as a

spot treatment to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter. Repeat treatment as required.

To control wood-boring beetles, treat infested wood using an injection or insertion tube. Apply small amounts directly into and around entrance holes.

To control fleas in animal quarters, treat bedding, floor and floor coverings and any areas where fleas may hide. If left undisturbed, a deposit of Drione will continue to kill fleas for several weeks. Repeat application when effectiveness diminishes.

To control bed bugs, take bed apart and treat cracks, joints and interior of framework. Mattresses should be treated, especially tufts, folds and edges. Do not use in hospital patient quarters.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER

Causes eye damage. Avoid contact with skin or eyes. Wear goggles or face shield. Harmful if swallowed. Avoid contamination of food and foodstuffs. Remove pets, birds and cover or remove fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

If in eyes - Flush eyes with plenty of water. Get medical attention.

If swallowed - Call a physician or Poison Control Center immediately. Gastric lavage may be indicated if material was taken internally. **DO NOT INDUCE VOMITING**; vomiting may cause aspiration pneumonia.

If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin - Remove contaminated clothing and wash affected areas with soap and water.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

NET CONTENTS

PRINTED IN U.S.A.



FAIRFIELD AMERICAN CORPORATION
238 WILSON AVENUE
NEWARK, N.J. 07105

CODE 822.50

BEST AVAILABLE COPY

Reg # 4816-367
 CODE 822.50
DRIONE® INSECTICIDE SPRAY

Fast Acting Spray Powder

Residual to Roaches

Controls Roaches, Silverfish, Bed Bugs & Fleas

Kills up to 7 months when left undisturbed.

For Use In Homes, Restaurants, Hospitals, Supermarkets, Schools, Institutions, Warehouses, Factories and Food Plants.

Acceptable for use in inedible product areas of Federally Inspected Meat & Poultry Plants.

ACTIVE INGREDIENTS

Pyrethrins	0.1%
* Piperonyl Butoxide, Technical	1.0%
Silica Gel	4.0%
**INERT INGREDIENTS	94.9%
This product contains the toxic ingredient Methylene Chloride. Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds	100.0%

Contains Petroleum Distillate
 DRIONE - Registered Trademark of Fairfield American Corporation
 EPA Reg. No. 4816-367

ACCEPTED
 NOV 10 1987
 U.S. Food & Drug Administration
 registered under
 EPA Reg. No. 4816-367

**KEEP OUT OF REACH OF CHILDREN
 DANGER**

See back panel for additional precautions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

SHAKE WELL BEFORE AND AT INTERVALS DURING USE

TO OPERATE: Hold can upright and press actuator button

FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food is held, processed, prepared or served

FOOD AREAS - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY:

Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, driers, edible oils, syrups) and serving areas (when foods exposed and facility is in operation)

To control ants, cockroaches, silverfish, crickets, centipedes, millipedes, carpet beetles, spider beetles, ground beetles, earwigs, waterbugs and beetles. Apply in small amounts directly into cracks and crevices using an injection or insertion tube, in points between different elements of casing, voids between equipment and floors, openings leading to vents and hollow spaces in walls, equipment legs and bases and in conduits, motor

housings, junction or switchboxes. Prior to application de-energize electrical equipment. After application, allow time for solvent to evaporate before starting motors or placing switches in the "ON" position.

Care should be taken to avoid depositing the insecticide onto exposed surfaces or introducing it into the air. Avoid contamination of food or food processing surfaces.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

SERVING AREAS: Facilities where foods are served such as dining rooms, but excluding areas where food may be prepared or held, apply as a spot treatment to selective surfaces, such as baseboards, under elements of construction and interior cracks and crevices. Avoid treating surfaces likely to be contacted by food (Do not apply when facility is in operation or foods are exposed.)

NON FOOD AREAS: Including garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply as a

spot treatment to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter. Repeat treatment as required.

To control powder post beetles, treat infested wood using an injection or insertion tube. Apply small amounts directly into and around entrance holes.

To control fleas in animal quarters, treat bedding, floor and floor coverings and other areas where fleas may hide. If left undisturbed, a deposit of Drione will continue to kill fleas for several weeks. Repeat applications when effectiveness diminishes.

To control bed bugs, take bed apart and treat cracks, joints and interior of framework. Mattresses should be treated, especially tufts, folds and edges. Do not use in hospital patient quarters.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS & DOMESTIC ANIMALS**

DANGER

Causes eye damage. Avoid contact with skin or eyes. Wear goggles or face shield. Harmful if swallowed. Avoid contamination of food and foodstuffs. Remove pets, birds and cover or remove fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

If in eyes - Flush eyes with plenty of water. Get medical attention.

If swallowed - Call a physician or Poison Control Center immediately. Gastric lavage may be indicated if material was taken internally. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin - Remove contaminated clothing and wash affected areas with soap and water.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

NET CONTENTS

FOUR FL OZ. (A)



FAIRFIELD AMERICAN

CORPORATION
 238 WILSON AVE. BUL.
 NEWARK, N.J. 07105

CODE 822.50