Roach & Ant Spray

Pressurized Contains BAYGON

A Quick Acting Surface Spray for Indoor and Outdoor Use.

Kills Resistant Roaches.

Residual Deposit Remains Effective on Roaches up to Two Weeks.

EPA Est. No., 279-NY-1

EPA Reg. No. 4816-371

Active Ingredients:

0-Isopropoxyphenyl Methyl	
Carbamate**	0.500%
Pyrethrins	0.052%
Piperonyl Butoxide, Technical*	0.262%
Petroleum Distillate	70.208%

CAUTION KEEP OUT OF REACH OF CHILDREN.

See rear panel for additional precautions

NET WEIGHT

POUNDS

FMC Corporation **Agricultural Chemical Division** Middleport New York 14105 045

Directions for use

To Operate: Hold container upright, nozzle away from you and spray infested surfaces only until

Roaches, Ants, Waterbugs, Silverish, Spiders, Crickets: Spray heavily into all cracks, around baseboards and other places where these insects hide. Also spray until wet, surfaces behind and beneath cabinets, refrigerators, sinks and stoves, Spray other localized areas infested with these pests. Repeat treatment as required. Do not spray foodstuffs or house plants. Do not allow children to contact treated surfaces until surfaces are completely gry.

Brown Dog Ticks: Thoroughly spray infested areas around baseboards, window and door frames. wall cracks, sleeping quarters of household pets and localized areas of floors and floor coverings. Applications should be repeated as infestations warrant and as re-infestations occur. Fresh bedding should be placed in animal quarters follows: ing treatment. Do not treat animals with this formulation.


annoyance from these insects. Spray outside surfaces of screens, doors, window framee or whereever these insects may enter the room. Also trea surfaces around light fixtures on porches, in garages, and other places where these insects alight or congregate. Repeat treatment as necessary.

Fleas, Ants, Brown Dog Ticks, Clover Mites, Crickets, Earwigs, Millipeds Outdoors: For treatment of localized infestations of these insects in outdoor areas or where these insects may enter the dwelling, spray infested areas thoroughly. For Ants, thoroughly wet hills and unways. For Fleas and Brown Dog Ticks spray weeds and bushy noncrop vegetation. Repeat treatment as necessary. Do not spray desirable vegetation.

Caution: May be harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should be avoided. Do not use as a space spray. Do not use in edible product areas of food plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

Warning: Contents under pressure. Never set comtainer on stoves, radiators, nor place where temperature will exceed 120 F. Do not puncture or throw in fire.

Combustible mixture: Do not spray near open flame. Do not smoke while using. Avoid excessive wetting of asphalt, rubber and plastic tiles and floor coverings.



クランコン

^{*}Equivalent to 0.210% of (butylcarbityl) (6-propylpiperonyl) ether and to 0.052% related compounds.

^{**}Baygon R - Registered Trademark of Farbenfabriken Bayer A.G., Chemagro Corporation licensee: U.S. Patent No. 3,111,539.