

CODE 823.25

# Roach & Ant Spray

Pressurized  
Contains PROPOXUR

ACCEPTED  
NOV 12 1987  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
or amended, for the pesticide  
registration under  
EPA Reg. No. 4816-371

A Quick Acting Surface Spray for Indoor and Outdoor Use

Kills Resistant Roaches

Residual Deposit Remains Effective on Roaches Up to Two Weeks

**ACTIVE INGREDIENTS:**

|   |          |
|---|----------|
| *2-(1-methyl-4-hydroxy)phenol methylcarbamate | 0.500%   |
| Pyrethrins                                    | 0.052%   |
| **Piperonyl Butoxide, Technical               | 0.262%   |
| Petroleum Distillate                          | 70.208%  |
| INERT INGREDIENTS:                            | 28.978%  |
|   | 100.000% |

\*U.S. Patent No. 3,111,539

\*\*Equivalent to 0.210% (butylcarbityl) (6-propyl-piperonyl) ether and 0.052% related compounds

This product contains the toxic inert ingredient Methylene Chloride

Roaches, Ants, Waterbugs, Silverfish, Spiders, Crickets: Spray heavily into all cracks, around baseboards and other places where these insects hide. Also spray until wet, surfaces behind and beneath cabinets, refrigerators, sinks and stoves. Spray other localized areas infested with these pests. Repeat treatment as required. Do not spray foodstuffs or house plants. Do not allow children to contact treated surfaces until surfaces are completely dry.

Fleas and Brown Dog Ticks: Thoroughly spray infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets and localized areas of floors and floor coverings. Allow the sprayed areas to dry thoroughly. Applications should be repeated as infestations warrant and reinfestation occurs. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with this formulation.

Flies, Mosquitoes, Wasps, Hornets and Flying Moths Outdoors: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages and other places where these insects alight or congregate. Repeat treatment as necessary. For control of Wasps and Hornets apply after dark when all of the insects have returned to the nest. Repeat if necessary.

Fleas, Ants, Brown Dog Ticks, Clover Mites, Earwigs, Crickets, Millipedes Outdoors: For treatment of localized infestations of these insects in outdoor areas or where these insects may enter the dwelling, spray infested areas thoroughly. For Ants, thoroughly wet hills and runways. For Fleas and Brown Dog Ticks, spray weeds and bushy non-crop vegetation. Repeat treatment as necessary. Do not spray desirable vegetation.

KEEP OUT OF REACH OF CHILDREN.  
**CAUTION**

See back panel for additional precautionary statements.

EPA Reg. No. 4816-371 EPA Est. No.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.


To Operate: Hold container upright, nozzle away from you and spray infested surfaces only until wet.

NET CONTENTS

**BEST AVAILABLE COPY**

See Reverse Side

Printed in U.S.A. 3932 SALT ROAD  
MEDINA, N. Y. 14103



**FAIRFIELD  
AMERICAN  
CORPORATION**

## DISPOSAL

Wrap container and put in trash collection.  
Do not incinerate.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should be avoided. Do not use as a space spray.

Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially processed or prepared. Do not use in serving areas while food is exposed.

#### STATEMENT OF PRACTICAL TREATMENT

If Inhaled: Remove victim to ventilated area.

Apply artificial respiration if necessary.

If In Eyes: Flush eyes with plenty of water.

Contact a physician if irritation persists.

If On Skin: Remove contaminated clothing and wash affected areas with soap and water.

If Swallowed: DO NOT INDUCE VOMITING. Call a physician or Poison Control Center immediately. Vomiting may cause aspiration pneumonia.

#### PHYSICAL OR CHEMICAL HAZARDS

Flammable! Contents under pressure. Keep away from heat, sparks or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

**BEST AVAILABLE COPY**

# Roach & Ant Spray

## Pressurized Contains PROPOXUR

ACCEPTED

NOV 12 1987

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 4816-371

A Quick Acting Surface Spray for Indoor and Outdoor Use

Kills Resistant Roaches

Residual Deposit Remains Effective on Roaches Up to Two Weeks

### ACTIVE INGREDIENTS

|  |          |
|--|----------|
| *2-(1-methylethoxy) phenol methylcarbamate ..... | 0.500%   |
| Pyrethrins .....                                 | 0.052%   |
| **Piperonyl Butoxide, Technical .....            | 0.262%   |
| ***INERT INGREDIENTS .....                       | 99.186%  |
|  | 100.000% |

\*U.S. Patent No. 3,111,539

\*\*Equivalent to 0.210% (butylcarbityl (6-propyl-piperonyl) ether and 0.052% related compounds

\*\*\*Contains Petroleum Distillate

This product contains the toxic inert ingredient Methylene Chloride.

KEEP OUT OF REACH OF CHILDREN.

### CAUTION

See back panel for additional precautionary statements.

EPA Reg. No. 4816-371

EPA Est. No.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To Operate: Hold container upright, nozzle away from you and spray infested surfaces only until wet.

NET CONTENTS

02125 687

**BEST AVAILABLE COPY**

See Reverse Side

Roaches, Ants, Waterbugs, Silverfish, Spiders, Crickets: Spray heavily into all cracks, around baseboards and other places where these insects hide. Also spray until wet, surfaces behind and beneath cabinets, refrigerators, sinks and stoves. Spray other localized areas infested with these pests. Repeat treatment as required. Do not spray foodstuffs or house plants. Do not allow children to contact treated surfaces until surfaces are completely dry.

Fleas and Brown Dog Ticks: Thoroughly spray infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets and localized areas of floors and floor coverings. Allow the sprayed areas to dry thoroughly. Applications should be repeated as infestations warrant and reinfestation occurs. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with this formulation.

Flies, Mosquitoes, Wasps, Hornets and Flying Moths Outdoor: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages and other places where these insects alight or congregate. Repeat treatment as necessary. For control of Wasps and Hornets apply after dark when all of the insects have returned to the nest. Repeat if necessary.

Fleas, Ants, Brown Dog Ticks, Clover Mites, Earwigs, Crickets, Millipedes Outdoor: For treatment of localized infestations of these insects in outdoor areas on which these insects may enter the dwelling, spray infested areas thoroughly. For Ants, thoroughly wet hills and runways. For Fleas and Brown Dog Ticks, spray weeds and bushy non-crop vegetation. Repeat treatment as necessary. Do not spray desirable vegetation.

**FAIRFIELD  
AMERICA  
CORPORATION**

Printed In U.S.A. 3932 SALT ROAD  
MEDINA, N.Y. 141

2 2

# DISPOSAL

Wrap container and put in trash collection.  
Do not incinerate.

1 30 00

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

### CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eye or clothing should be avoided. Do not use as a space spray.

Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially processed or prepared. Do not use in serving areas while food is exposed.

EPA

### STATEMENT OF PRACTICAL TREATMENT

If Inhaled: Remove victim to ventilated area. Apply artificial respiration if necessary.

If In Eyes: Flush eyes with plenty of water. Contact a physician if irritation persists.

If On Skin: Remove contaminated clothing and wash affected areas with soap and water.

If Swallowed: DO NOT INDUCE VOMITING. Call a physician or Poison Control Center immediately. Vomiting may cause aspiration pneumonia.

### PHYSICAL OR CHEMICAL HAZARDS

Flammable: Contents under pressure. Keep away from heat, sparks or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

BEST AVAILABLE COPY