

[4816-374]

NIA 17370 AEROSOL INSECTICIDE 0.35

EPA Reg. No. 4816-374

Contains SYNTHRIN[®]

NEW HIGHLY ACTIVE SYNTHETIC PYRETHROID

Effective against: Flying and Household Flying and Crawling Insects: Houseflies, Mosquitoes, Gnats, Wasps, Roaches, Ants, Earwigs, Spiders, Grain Mites, Sowbugs and Centipedes.

CAUTION
KEEP OUT OF REACH OF CHILDREN.

See rear panel for additional precautions

Net Weight —

*Synthrin - Trademark of FMC Corporation



FMC
A Chemical Division
Morristown, N. J. 07960

DIRECTIONS FOR USE

Remove protective cap. Aim spray opening away from person. Push button to spray.

FOR HOUSEFLIES, MOSQUITOES, AND GNATS: Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

FOR CRAWLING INSECTS: Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

ACTIVE INGREDIENTS:

* (5-Benzyl-3-furyl)methyl 2,2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate	0.350%
Related compounds	0.048%
Aromatic petroleum hydrocarbons	0.464%
Petroleum distillate	19.124%

INERT INGREDIENTS:	80.014%
	<hr/>
	100.000%

*Cis/trans isomers ratio: max. 30% (+) cis and min. 70% (+) trans.

*U.S. Patent No. 3,465,007

CAUTION: Avoid contamination of feed and foodstuffs. Cover or remove fishbowls. **WARNING:** Contents under pressure. Do not puncture. Do not expose container to temperatures above 120° F. Never throw container into fire or incinerator.