PROPOSED REVISIONS

SYNTHRIN

AQUEOUS PRESSURIZED INSECTICIDE .50%

EPA Reg. No. 4816-381

EPA Est. No. 279-NY-1

- * Contains SYNTHRIN
- * A highly active synthetic pyrethroid to control household flying and crawling insects: Housefiles, Mosquitoes, Gnats, Wasps, Yellow jackets, Hornets, Cockroaches, Ants, Earwigs, Spiders, Sowbugs, Lice, Small flying moths, Centipedes, Millipedes, Pilibugs, Scorpions, Fleas, Ticks and Bedbugs.
- * For use indoors and on ant nests outdoors in homes, apartments, barns, condominiums, garages, hotels, industrial plants and facilities, kennels, laborato les mundries, morgues, motels, museums, prilips bulkings, outhouses, public bulkings, sentiary facilities, sheds, stores, theaters, townhouses, trailers, and warehouses.
- * Not for use on Humans or Animals. For use only on garments, bedding, furniture, carpeting, uphoistery, and rugs infested with lice.

ACTIVE INGREDIENTS:

| Resmelhin | . 0.500% |
|-------------------|----------|
| Related compounds | |
| INERT INGREDIENTS | |
| | 100 000% |

SYNTHRIN - Registered Trademark of Fairfield American Corporation

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional procopolisms.

NET CONTENTS:



FAIRFIELD
AMERICAN
CORPORATION
201 ROUTE 17 NORTH, RUTHERFORD, NJ 02070

SPECIAL DECIDION

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USING

Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray.

Not for use in or around food handling or storage facilities.

For House Files, Mosquitoes, Gnats, Small Flying Moths). Close all doors and windows. Point nozzle upwards, direct the spray mist to all parts of the room especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

For Wasps, Yellow Jackets And Hornets: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

For Crawling Insects: Cockroaches, Scorplons, Centipedes, Millipedes, Pilibugs, Earwigs, Sowbugs, Spiders: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, baseboards and storage areas. Spray directly on insects when possible. Repeat as necessary.

For Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

To kill Lice and Louse Eggs: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated.

Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches.

Spray each square foot for three seconds.

Spray only those garments and parts of bedding, including mattresses, and furniture that cannot be either

laundered or dry cleaned. Allow all sprayed articles to dry thoroughly before use.

Fless and Ticks: Spray sleeping quarters, bedding, floor and floor covering where pets are kept. Repeat as necessary. Use only a recommended pet spray on pets.

Bedbugs: Spray mattresses, particularly around tufts and seams. Take bc.ds apart and spray into all joints. Treat baseboards, moldings and frames. Allow all sprayed articles to dry thoroughly before use. Repeat treatment as necessary.

DISPOSAL

Replace cap, securely wrap container in several layers of newspaper and discard in trash. Do not incinerate.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. Vacate room after treatment and ventilate before reoccupying. Avoid contamination of feed and foodstuffs. Remove pets, birds and cover fish aquariums before spraying. This product is not for use on humans. If lice infestations should occur on humans, consult either your physician or pharmacist for a product for use on humans.

STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IN IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash affected areas with soap and water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Not Reviewed. Registrant claims to be in accordance with. Peregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.