

NIA 17370 AQUEOUS PRESSURIZED SPRAY
INSECTICIDE 0.25%
FOR HOUSE AND GARDEN

EPA Reg. No. 4816-382

Contains SYNTHRIN*
NEW HIGHLY ACTIVE SYNTHETIC PYRETHROID

Effective in Controlling a Wide Variety of Insect Pests in the Household
and on Ornamental Garden Plants.

SHAKE BEFORE USING

ACTIVE INGREDIENTS:

†(5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate	0.250%
Related compounds	0.034%
Aromatic petroleum hydrocarbons	0.332%


INERT INGREDIENTS:

99.384%
100.000%

†Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.
U.S. Patent No. 3,465,007.

CAUTION
KEEP OUT OF REACH OF CHILDREN.

Avoid contamination of feed and foodstuffs. Cover or remove fishbowls.
WARNING: Contents under pressure. Do not puncture. Do not expose
container to temperatures above 120°F. Never throw container into fire
or incinerator.



Net Weight

*Trademark of FMC Corporation

Manufactured by

INDUSTRIAL DEPARTMENT



Niagara Chemical Division
Middleport, N. Y. 14105

DIRECTIONS

Shake well before each use. Remove protective cap. Aim spray opening
away from people. Push button to spray.

INDOORS - FOR HOUSEFLIES, MOSQUITOES, AND GNATS

Close all doors and windows. Point nozzle upward direct the spray mist
to all parts of the room, especially windows and other light sources which
attract these insects. Fill the room with mist, then leave the treated
area. Keep the room closed for at least 15 minutes. Ventilate the room
when treatment is completed.

INDOORS - FOR CRAWLING INSECTS:

Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Spray
thoroughly into hiding places such as cracks, crevices, moist areas,
opening around pipes and sinks, under refrigerators, baseboards, and stor-
age areas. Spray directly on insects where possible. Repeat as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possi-
ble. Repeat as necessary.

OUTDOORS - TO KILL FLYING INSECTS

Spray areas infested with mosquitoes, gnats (midges), houseflies, biting
flies and flying moths (millers). Follow precautions listed above. Hold
container 18 to 24 inches from shrubs, bushes and grassy areas. Spray
these areas with a slow sweeping motion at the rate of from 1 to 3 se-
conds per cubic yard of space while moving away from the treated areas.
To reduce annoyance from these flying insects, treat open porches and
patios in a similar manner. Spray only when the air is still. Allow spray
to dissipate before occupying the treated area. Repeat as necessary.

OUTDOORS - TO PROTECT ORNAMENTAL PLANTS

To control aphids, exposed thrip, adult white flies, leafhoppers, plant
bugs, spittlebugs and Japanese beetle on smaller rhododendrons, pines,
spruce, hemlock, spirea, dogwood, palm, mimosa, toyon, viburnum, euony-
mus, oaks, maples, locust, forsythia and althea and mimosa webworm lar-
vae on mimosa, spray directly on insects. Hold container 18 inches from
the infested plants. Spray in short spray bursts of one to three seconds
or spray at the rate of one linear foot of growth per second. Direct spray
to all sides covering foliage until slightly moist. Avoid heavy wetting.
Repeat as necessary to obtain control.

Spray peonies, iris, zinnia, snapdragons, ageratum, chrysanthemums,
nasturtiums, daisy, geraniums, marigolds, daphne, fatsihedera, ivy, tobira,
queen aiso and broad leaf acacia for control of aphids, exposed thrips,
adult white flies, leafhoppers, plant bugs, spittlebugs and Japanese beet-
les. Spray as directed above.

Ornamental Quince, Juniper, Cypress, Ornamental Mulberry, Ash, Coton-
aster, Rose, Camellia, Azalea, Pyracantha and Caenothus may also be
treated to control the above pests, but use with extreme caution. Certain
varieties have shown some leaf burn under certain conditions of use such
as heavy dosage. Repeat as necessary to obtain control.

OUTDOORS - TO PROTECT HOUSE PLANTS

Spray infested African violets, philodendron, geraniums, begonias, coleus
for control of listed pests. Repeat application as necessary.

OUTDOORS - TO CONTROL NUISANCE PESTS

Ants: - Spray trails, nests and points of entry. Spray on ants where possi-
ble. Repeat as necessary.

Spiders: - Direct short burst of spray on spiders and repeat as necessary.

Wasps: - Application should be made in late evening when insects are at
rest. Spray liberally into hiding and breeding places contacting as many
insects as possible. Repeat as necessary.

4816-382
2/15/72
P1182

282

ACCEPTED

FEB 15 1972

U.S. FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
REGISTRATION DIVISION
WASHINGTON, D.C. 20548
SUBJECT: TO ATTACHED COMMENTS.

485-582

A 6x6 grid of dots where some dots are missing to form the shape of the uppercase letter 'E'. The top row has all 6 dots. The second row has dots at columns 1, 2, 4, and 5. The third row has dots at columns 1, 2, 3, 4, and 5. The fourth row has dots at columns 1, 2, 3, 4, and 5. The fifth row has dots at columns 1, 2, 3, 4, and 5. The bottom row has all 6 dots.