

DIRECTIONS

Shake well before each use. Remove protective cap. Aim spray opening away from people. Push button to spray.

INDOORS - FOR HOUSEFLIES, MOSQUITOES, AND GNATS: Lilly Continues Close all doors and windows. Point nozzle upward direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

INDOORS - FOR CRAWLING INSECTS: ()

Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Spray the roughly into hiding places such as cracks, crevices, moist areas, opening around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

OUTDOORS - TO KILL FLYING INSECTS

Spray areas infested with mosquitoes, gnats (midges), houseflies, biting flies and flying moths (millers). Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

OUTDOORS - TO PROTECT ORNAMENTAL PLANTS

To control aphids, exposed thrip, adult white flies, leafhoppers, plant bugs, spittlebugs and Japanese beetle on smaller rhododendrons, pines, spruce, hemlock, spirea, dogwood, palm, mimosa, toyan, viburnum, euonymus, oaks, maples, locust, forsythia and althea and mimosa webworm larvae on mimosa, spray directly on insects. Hold container 18 inches from the infested plants. Spray in short spray bursts of one to three seconds or spray at the rate of one linear foot of growth per second. Direct spray to the spray at the rate of one linear foot of growth per second. to all sides covering foliage until slightly moist. Avoid heavy wetting Repeat as necessary to obtain control.

Spray peonies, iris, zinnia, snapdragons, ageratums, chrysanthehums, nasturtiums, daisy, geraniums, marigolds, daphne, fatshedera, ive, tobira e queen sago and broad leaf acacia for control of aphids, exposed an sago. adult white flies. leafhoppers, plant bugs, spittlebugs and Japan e beet-

Ornamental Quince, Juniper, Cypress, Ornamental Mulberry, Wish, Cotonester, Rose, Camellia, Azalea, Pyrecertha and Caenothus, may also be treated to control the above pests, but use with extreme caution. Certain varieties have shown some leaf burn under certain conditions of use such as heavy dosage. Repeat as necessary to obtain control.

OUTDOORS - TO PROTECT HOUSE PLANTS Spray infested African violets, philodendron, geraniums, begonias, coleus for control of listed pests. Repeat application as necessary.

OUTDOORS - TO CONTROL NUISANCE PESTS

Ants: - Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Spiders: - Direct short burst of spray on spiders and repeat as necessary. Wasps: - Application should be made in late evening when insects are at A.G.D. ANDUSTRIAL SALES DEPARTMENT rest. Spray liberally into hiding and breeding places contacting as many or with Export NY 14106 insects as possible. Repeat as necessary.

NIA 17370 AQUEOUS PRESSURIZED SPRAY INSECTICIDE 0.25% HOUSE AND GARDEN

EPA Reg. No. 4816-382

NEW HIGHLY ACTIVE SYNTHETIC PYRETHROID

Effective in Controlling a Wide Variety of Insect Pests in the Household and on Ornamental Garden Plants.

LAKE BEFORE USING

ACTIVE INGREDIEN

†(5-Benzyl-3-furyl) mathyl 2,2- dimethyl-3-		
(2-methylproperfyll, cyclopropanecarboxylate	'	0.250%
Related compounds		0.034%
Aromatic petrol im hydrocarbons		0.332%
INERT INGREDIENTS:	ġ	9.384%
A A A	10	0.000%

†Cis Agans Isomers ratio: max. 30% (+) cis and min. 70% (+) trans. S. Patent No. 3,465,007.

CAUTION KEEP OUT OF REACH OF CHILDREN.

Avoid contamination of feed and foodstuffs. Cover or remove fishbowls. WARNING: Contents under pessure. Do not puncture. Do not expose container to temperatures above 120°F. Never throw container into fire or incinerator,

Net Weight

TINEER THE PROBLEM. INCHOLOGOE MANUFACTURED INDU S.A.IBYA CT FMC CORPORATION

HE THE EL NO

Chemicals