

FOR HOUSE AND GARDEN

EPA Reg. No. 4816-383

EPA Reg. No. 4816-383

EPA Est. No. 279-NY-1

ACTIVE INGREDIENTS

*Resmethrin	0.350%
Related Compounds	0.048%
INERT INGREDIENTS	<u>99.602%</u>
	100.000%

*Cis/trans isomers ratio: max. 30% (+) cis and min. 70% (+) trans.

DOES NOT CONTAIN CHLOROFLUOROCARBONS

SYNTHRIN - Registered Trademark of Fairfield American Corporation.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See rear panel for additional precautions

BEST AVAILABLE COPY

NET CONTENTS _____

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE EACH USE. Remove protective cap. Aim spray opening away from person. Push button to spray.

INDOORS - For House Flies, Mosquitoes and Gnats

Close all doors and windows. Point nozzle upward. Direct the spray to all parts of the room especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when the treatment is completed.

INDOORS - For Crawling Insects

Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Spray thoroughly into hiding places, such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

INDOORS - For Use on House Plants

BEST AVAILABLE COPY

Spray infested African violets, philodendrons, geraniums, begonias, coleus for control of aphids, exposed thrips and adult white flies. Repeat as necessary.

OUTDOORS - To reduce Annoyance From Flying Insects
Reduce mosquitoes, gnats (midges), house flies, biting flies and flying moths (millers) by spraying their resting places. Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated area. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

OUTDOORS - To Control Ornamental Plant Pests Spray aphids, exposed thrips, adult white flies, leafhoppers, plant bugs, spittlebugs, Japanese beetles, mimosas, webworm larvae and oakworm larvae. Direct spray on insects by holding the container 12 to 18 inches from the infested plants. Spray in short bursts of 1 to 3 seconds or spray at the rate of 1 linear foot of growth per second. Direct spray to all sides, covering foliage until slightly moist. Avoid heavy wetting. Repeat applications as necessary. **USE WITH CAUTION** on the tender foliage of Flowering Quince, Junipers, Cypress, Mulberries, Ash, Cottoneasters, Roses, Camellias, Azaleas, Pyracanthas and Caenothus as certain varieties have shown some leaf browning.

When infested, spray smaller evergreens, deciduous trees and shrubs as rhododendrons, spruces, pines, hemlocks, yews, arborvitae, junipers, holly, podocarpus, boxwoods, laurels, lilacs, spireas, dogwoods, palms, tree mimosas, toyans, viburnums, oaks, maples, locusts, forsythias, altheas and roses for control of aphids and other pests listed above. Also spray infested flowering plants as peonies, irises, zinnias, snapdragons, ageratums, chrysanthemums, nasturtiums, caisies, geraniums, marigolds, daphnes, fatshederas, ivy, tobiras, queen sagos, broadleaf acacias for the same listed pests.

OUTDOORS - To Control Nuisance Pests On or Entering Buildings
WASPS: Applications should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

EARWIGS: Spray directly on earwigs in crevices and other hiding places on porches, patio, floor and doorway entrances. Repeat application as necessary.

STORAGE AND DISPOSAL

Store in a cool, dry area. Do not transport or store below 32°F.

Wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF IN EYES OR ON SKIN: Flush affected area with plenty of water. Contact a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, potholes). Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Cover or remove fishbowls. Do not use on edible crops.

PHYSICAL HAZARDS

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130° may cause bursting. Never throw container into fire or incinerator.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

BEST AVAILABLE COPY

