FEB 2 7 1991

4716 - 220

MU 17

Ms. P. Leanne Pruett Fairfield American Corporation 809 Harrison Street Frenchtown, NJ 08825

Dear Ms. Pruett:

	Allethrin Registration Standard Flea and Tick Killer for Dogs and Cats
\checkmark	EPA Reg. No. 4816-386
	Alleviate Equine Insecticide E.C.
	EPA Reg. No. 4816-572
	Alleviate Stabilene Horse Insecticide EPA Reg. No. 4816-587
	Submissions dated October 25, 1990 and November 12,
	1990

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.


Before future labels are prepared for Reg. No. 4816-386, you must verify the identity of the petroleum distillate in your product, or delete the statement, "Petroleum distillate may cause aspiration pneumonia" in your Statement of Practical Treatment.

For Reg. No. 4816-572 and Reg. No. 4816-587, we are still anticipating product chemistry data matrices as previously requested in the Agency's letters dated June 11, 1990 for each product.

Sincerely,

Richard F. Mountfort Product Manager (10) Insecticide-Rodenticide Branch Registration Division (H7505C)





KEEP OUT OF REACH OF CHILDREN CAUTION STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting unless directed by a physician. **Petroleum** distillate may cause aspiration pneumonia. Contact a physician **immediately**.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. IF ON SKIN: Remove contaminated clothing and wash affected areas with plenty of soap and water.

See Side panel for Additional Precautions

NET CONTENTS:



CODE:

DIRECTIONS FOR USI

It is a violation of Federal law to use this product in its labeling.

Remove protective cap, hold container upright, mozzle 10 to 12 inches away, direct spray over the a spray over the animal until the entire coat is damp long-haired oogs and cats, ruffle the coat and sprasspraying directly behind hand so that spray reach controlling tick infestations, locate ticks and sprasspraying face and genitals. An application of 30 sufficient for an average size dog; for cats, about Repeat application weekly if necessary.

STORAGE AND DISPOS

Wrap container in several layers of newspaper and incinerate or puncture.

PRECAUTIONARY STATE! HAZARDS TO HUM.\NS & DOMES CAUTION

Harmful if swallowed or inhaled. Avoid breathing of with skin; wash thoroughly after use. Avoid contartin Do not treat or cause exposure of kittens or pupple

PHYSICAL OR CHEMICAL H

Contents under pressure. Do not use or store nea puncture or incinerate container. Exposure to tem cause bursting.

Buyer assumes all tisks of use, storage or handlin accordance with the directions given herewith.