

11 JUN 1992

Ms. Helen C. Theodore  
Fairfield American Corporation  
809 Harrison St.  
Frenchtown, NJ 08825

Dear Ms. Theodore:

Subject: Revised Container Size  
Automatic Sequential Pressurized Spray  
EPA Reg. No. 4816-393  
Submission: June 3, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

As new labels are prepared, reinstate the direction for the automatic dispenser-Do not install directly over any food handling or dispensing area.

Sincerely,



Richard F. Mountfort  
Product Manager 10  
Insecticide & Rodenticide Branch  
Registration Division (H7505C)

## AUTOMATIC SEQUENTIAL PRESSURIZED SPRAY

EPA REG. NO. 4816-393 CODE 82575

EPA EST. NO. <sup>279</sup>729-1-NY

**A HIGHLY CONCENTRATED AEROSOL FOR CONTROL OF FLIES,  
MOSQUITOES, SMALL FLYING MOTHS AND GNATS**

### ACTIVE INGREDIENTS:

Pyrethrins

1.77%

\*Piperonyl Butoxide, Technical

17.73%

### INERT INGREDIENTS:

80.50%

100.00%

\*Equivalent to 14.19% (butylcarbityl) (6-propylpiperonyl) ether and 3.54% related compounds.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See Side Panel for Additional Precautions

### DIRECTIONS FOR USE

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

11 JUN 1992

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

4816-393

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To be used indoors wherever these insects are an annoyance; in Food Processing Plants, Restaurants, Hospitals, Homes, Stores, Hotels, Motels, Schools and other Public Buildings; in Dairies, Barns, Canneries, Breweries and Food Handling Establishments.

This product is designed for use in automatically-timed discharging devices. Using the metered valve provided, which gives a dosage of 64 mgs. set to discharge every fifteen minutes, one unit will control Flies, Mosquitoes, Gnats and Flying Moths in an area of approximately 6000 cubic feet. Factors such as shape of area, temperature, humidity and air currents all affect insect activity and may modify the exact area protected. Insect control will build up within 2 hours after unit is in operation.

Used as described, this 7 ounce can contains sufficient insecticide to operate 24 hours a day for 34 days. This will provide for monthly replacement. Any remaining contents may be used manually.

To use manually, remove cap and direct spray at flies or other insects, pressing actuator button repeatedly. To treat entire area, close windows and doors and press actuator button 7 times per 1000 cubic feet of space while moving about to distribute the spray in the upper portion of the room. Keep room closed for 15 minutes and ventilate before reoccupying.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment and thoroughly washed with an effective cleaning compound followed by a potable water rinse before using. When using the product in these areas, apply only when the facility is not in operation.

**STORAGE & DISPOSAL STORAGE:** Store in original container in a cool dry place inaccessible to children and pets and away from heat or open flame.

**DISPOSAL:** Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS  
CAUTION**

Do not use in nurseries or rooms where infants, ill or aged persons are confined.

**STATEMENT OF PRACTICAL TREATMENT**

**IF INHALED:** Remove affected person to fresh air. Apply artificial respiration if indicated.

**IF IN EYES:** Flush with plenty of water. Contact a physician if irritation persists.

**IF ON SKIN:** Remove contaminated clothing and wash affected areas of skin with soap and water. Contact a physician if irritation persists. Wash clothing before reuse.

**PHYSICAL & CHEMICAL HAZARDS**

Contents under pressure. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

82575/692