

INDUSTRIAL SPRAY 0.25 LIQUID INSECTICIDE

Mosquitoes, Houseflies, Chats, Small Flying Moths (Millers):

Close all doors and windows. Direct the spray to all parts of the room. Fill the room with mist, then leave the treated area. Keep room closed for at least 15-30 minutes. Ventilate the room when treatment is completed.

Wasps:

Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Rejeat as Decessary.

Cockroaches, Waterbugs, Earwigs, Grain Mites, Sowbugs, Spiders and Centipedes: Spray thoroughly into hiding places, such as cracks, crevices, roist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary.

Spray trails, nests and points of entry. Spray This product is toxic to fish and hirds. for not apply directly to water. Do not contaminate water by cleaning of equipment

To Kill Grain Insects:

Angoumois Grain Moths, Cadelles, Confused Flour Beetles, Indian Meal Moths, Mediterranean Flour Moths, Rice Weevils, Sawtoothed Grain Beetles, Yellow Mealworms, Cheese Mites, Cheese Skippers, Cigarette Beetles, Grain Kites, Granary Weevils, Dark Mealworms, and Red Flour Bectles. Remove Do not use or store near heat or open flame. infested grain, cereal or flour and destroy. Avoid contamination of other food and foodstuffs in the area by removing before spraying. Apply as a coarse, wet spray directly on exposed stages of the listed grain pests and into cracks and crevices where they may be hiding.

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

Buyer assumes all risks of use, storage, or handling of this product not in strict accordance with directions given herewith.

CODE 726.05

ACCEPTED with COMMENTS in EPA Letter Dated:

NOV1 7 1982

Under the Federal Investicide, Fungicide, and Rodenheide Act as amended, for the pesticide registered under El'A Reg. No. 4816.400

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if i ritation persists. Avoid contamination of feed and foodstuffs. When using this product in food processing plants, foods should be removed or covered before treatment. Thoroughly wash all food processing surfaces before reuse. When using this product in these areas, apply only when the facility is not in operation. Remove pets, birds and cover fish aquariums before spraying. Do not remain in treated areas. Ventilate area after treatment is completed.

ENVIRONMENTAL HAZARDS

PHYSICAL OR CHEMICAL HAZARDS

or disposal of wastes.









FAIRFIELD **AMERICAN** CORPORATION 3932 Salt Road Medina N Y 14103

CAUTION

See side panel for additional precautions

SYNTHRIN - Registered Trademark of Fairfield

EPA Reg. No. 4816-400 EPA Est. No. 279-NY-1

DIRECTIONS FOR USE

It is a violation of Federal Can to use this product in a manner inconsistent with its labeling.

INET CONTE

72005 D 782

0.250%

0.034%

0.329%

0.012% 160,060%

99.375%

"roaches, waterbugs, earwigs, grain mites, sowbugs, spiders, ants and centipedes.
For use in Homes, Bakeries, Hospitals, Food Handling Plants, Seed Houses, Horse Stables, Hotels, Motels, Institutions, Hospices and Mortuaries. ACTIVE INGREDIENTS: *Resmethrin (5-(phenylmethyl)-3-

INERT INCREDIENTS:.

American Corporation

Kills house flies, mosquitoes, gnats, emall flying moths (millers), wasps, cock-

furenyl] methyl 2, 2-dimethyl-3-(2-methy1-1-propeny1) cyclo-

Contains SYNTHRING

propanecarboxylate Related Compounds Aromatic Petroleum Hydrocarbons . . Petroleum Distillate.

*Cis/trans isomers ratio: max. 30%(±) cis and min. 70% (2) trans.

KEEP OUT OF REACH OF CHILDREN

Pagal 4516 (160

BEST AVAILABLE COPY

Kills house flies, mosquitoes, gnats, email flying moths (millers), wasps, cock-roaches, waterbugs, earwigs, grain mites,

sowbugs, spiders, ants and centipedes. for use in Homes, Bakeries, Hospitals, Food Handling Plants, Seed Houses, Horse

Stations, Hotels, Motels, Institutions,

es and Mortuaries.

Contains SYNTHRING

ACTIVE INGREDIENTS

Related Compoiunds ...

distillate.

"INERT INGREDIENTS ...

American Corporation

SYNTHRIN

INDUSTRIAL SPRAY 0.25 LIQUID INSECTICIDE

Mosquitoes, Houseflies, Coats, Small Flying Moths (Millers):

Close all doors and windows. Direct the spray to all parts of the reem. Fill the room with mist, then leave the treated area. Keep room closed for at least 15-30 minutes. Ventilate the room when treatment is completed.

..0.034%

.99.716%

application should be made in late evening then insects are at rest. Spray liberally into hiding and breeding places, contacting is many insects as possible. Repeat as necessary.

Cockronches, Unterbugs, Enrylgs, Grain Mites. Sewbugs, Spiders and Centipedes: Spray thoroughly into hiding places, such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary.

Spray trails, nests and points of entry. Spray This product is toxic to fish and birds. on ants where possible. Repeat as necessary.

To Kill Grain Insects:

Angoumois Grain Noths, Cadelles, Confused Flour Beetles, Indian Meal Moths, Mediterranean Flour Moths, Rice Weevils, Sawtoothed Grain Beetles, Yellow Healworms, Cheese Hites, Cheese Skippers, <u>Clyarette Beetles, Grain Mites, Granary Weevils,</u>

Dark Healworms, and Red Flour Beetles. Kenove Do not use or store near heat or open flame. Infested grain, cereal or flour and destroy. Moid contamination of other food and foodstuffs

In the area by removing before spraying. Apply as a coarse, wet spray directly on exposed stages of the fisted grain pests and into cracks and crevices where they may be hiding.

with COMMENTS in EPA Letter Dated:

NOV1 7 1982

Under the it deval Insecticide. Fungicide, and Codenticide Act as amended, for the pesticide registered under EPA Reg. No. 4816.400

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if i ritation persists. Avoid contamination of feed and foodstuffs. When using this product in food processing plants, foods should be removed or covered before treatment. Thoroughly wash all food processing surfaces before reuse. When using this product in these areas, apply only when the facility is not in operation. Remove pets, birds and cover fish aquariums before spraying. Do not remain in treated areas. Ventilate area after treatment is completed.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contiminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

EPA Est. No. 279-NY-1 EPA Reg. No. 4816-400

See side panel for additional precapitions.

*Cis/trans isomers ratio; max. 30% (+) cis and min. 70% (+)

**Contains aromatic petroleum hydrocarbons and petroleum

SYNTHRIN - Registered Trademark of Fairfield

KEEP OUT OF REACH OF CHILDREN

CAUTION

DIRECTIONS FOR USE

It is a violation of Federal danete use this product in a manner inconsistint with its labeling.

DISPOSAL

Buyer assumes all risks of use, storage, or

AMERIC CORPORA