111 (1 4715 41)

FEB 1 5 1991

Hs. Lucinda Taylor
Fairfield American Corporation
809 Harrison Street
Frenchtown, HJ 08825

Dear Ms. Taylor:

Subject: Revised Label

Synthrin 0.25% Liquid Insecticide EPA Registration No. 4816-400

Your Submission Dated October 16, 1990

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

61601: I:A-4:Johnson: L10-1:KEVRIC: 02/12/91: PERM: DD: WO: EK: CL

	CONCURRENCES																												
SYMBOL												1										\prod							
SURNAME								j									1							 • •		ļ .			•
DATE		•••					. .			••••	••		••			••		 		 	• • •	1	••••	 • •	••		•		•

EPA Form 1320-1 (12-70)

OFFICIAL FILE COPY

NDUSTRIAL SPRAY 0.25 LIQUID INSECTICIDE

EPA Reg. No. 4816-400AA


EPA Est. No. 279-NY-1

- * Contains SYNTHR!N®
- * Kills House Flies, Mosquitoes, Gnats, Small Flying Moths (millers), Wasps, Cockroaches, Waterbugs, Earwigs, Grain Mites, Sowbugs, Spiders, Ants And Centipedes. For Use In Homes, Bakeries, Hospitals, Food Handling Plants. Seed Houses, Horse Stables, Hotels, Motels, Institutions, Hospices and Mortuaries.

ACTIVE INGREDIENTS *Resmethrin 0.250% Related Compounds 0.034% 100 00%

*Cis/trans isomer content, Max 30% (+/-)cis and Min. 70%). (+/-) trans.
**Contains Petroleum Distillate

SYNTHRIN - Registered Trademark of Fairfield American Corporation.



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling...

Mosquitoes, Houseilles, Gnats, Small Flying Moths (Millers): Close all doors and windows. Direct the spray to all parts of the room. Fill the room with mist, then leave the treated area. Keep room closed for at least 15:30 minutes. Ventilate the room when treatment is completed

Wasps Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

Cockroaches, Waterbugs, Earwigs, Grain Mites, Sowbugs, Spiders and Centipedes Spray thoroughly into hiding places, such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas Spray directly on insects where possible. Repeat as neces-

Ants: Spray trails, nests and points of entry. Spray on Ants where possible. Repeat as necessary.

To Kill Grain Insects: Angoumois Grain Moths, Cadelles, Confused Flour Beetles, Indianmeal Moths, Mediterranean Flour Moths, Rice Weevils, Sawtoothed Grain Beetles, Yellow Mealworms, Cheese Mites, Cheese Skippers, Cigarette Beetles, Grain Mites, Granary Weevils, Dark Mealworms and Red Flour Beetles. Remove intested grain, cereal or flour and destroy. Avoid contamination of other food and loodstuffs in the area by removing before spraying. Apply as a coarse, wet spray directly on exposed stages of the listed grain pests and into cracks and crevices where they may be hidina.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperature. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fullers' earth, etc. Dispose of with chemical waste

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility

CONTAINER DISPOSAL Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures

CONTAINERS ONE GALLON AND container. Wrap container in severa discard in trash.

IF SWALLOWED: Call a physician immediately. Do not induce vomit aspiration pneumonia. . . . IF INHALED: Remove affected \$ artificial respiration if indicated. IF ON SKIN: Remove contâmina fected areas of skin with soap and v if irritation persists. IF IN EYES: Flush with plenty of w

if irritation persists.

ENVIRONMENTAL

This pesticide is extremely toxic to to water or wetlands (swamps, t Runoff and drift from treated are aquatic organisms in adjacent sites. when disposing of equipment wash

PRECAUTIONARY S HAZARDS TO HUMANS & ! **CAUTIO**

Harmful if swallowed. Avoid contact In case of contact, immediately flus of water. Get medical attention i contamination of feed and foodstuff in food processing plants, foods sho before treatment. Thoroughly was faces before reuse. When using the apply only when the facility is not in birds and cover fish aquariums before in treated areas. Ventilate area aft

Do not use in horse stables if horse

PHYSICAL OR CHEMI

Do not use, pour, spill or store nea

Buyer assumes all risks of use, s material not in strict accordance with