

SYNTHRIN® Industrial Pressurized Spray 0.50

Contains SYNTHRIN

NEW HIGHLY ACTIVE SYNTHETIC PYRETHROID

Kills flies, mosquitoes, gnats, small flying moths (millers), wasps, roaches, waterbugs, ear-wigs, grain mites, sowbugs, spiders and centipedes

For use in Bakeries, Food Plants, Restaurants, Schools, Hotels, Motels, Office Buildings, Hospitals and Food Handling Plants

ACTIVE INGREDIENTS

*Resmethrin.....	0.500%
Related Compounds.....	0.068%
**INERT INGREDIENTS.....	99.432%
	100.000%

*Cis/trans isomers ratio: max 30% (+) cis and min. 70% (+) trans.

**Contains aromatic petroleum hydrocarbons and petroleum distillate.

This product contains the toxic inert ingredient Methylene Chloride.

SYNTHRIN - Registered trademark of Fairfield American Corporation

Keep Out Of Reach Of Children
CAUTION

Harmful if swallowed.
See rear panel for additional precautions.

EPA Reg. No. 4816-404
EPA Est. No. 279-NY-1

BEST AVAILABLE COPY

Approved with conditions by EPA for use.

1-9-1988 1099

NET WEIGHT

4816-404

SEE REVERSE SIDE

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contact with skin and eyes. Avoid inhalation of spray mist. Avoid contamination of feed and foodstuffs.

When using this product as a space spray in food processing plants, foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in these areas, apply only when the facility is not in operation.

Do not remain in treated areas and ventilate the area after treatment is completed.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Flammable Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

Remove protective cap. Aim spray opening away from person. Push button to spray.

For house flies, mosquitoes, small flying moths (millers), and gnats: Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, they leave the treated areas. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

Wasps: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.



3932 Salt Road
Medina, New York 14103

Hotels, Motels, Office Buildings, Hospitals and Food Handling
Plants

ACTIVE INGREDIENTS	
*Resmethrin	0.500%
Related Compounds	0.125%
INERT INGREDIENTS	99.375%
	100.000%

*Cis/trans isomers ratio: max. 70% cis is and min. 70% trans.

This product contains the toxic inert ingredient Methylene Chloride.

SYNTHRIN - Registered Trademark of Fairfield American Corporation.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See rear panel for additional precautions

NET CONTENTS _____

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Remove protective cap. Aim spray opening away from person.
Push button to spray.

For Houseflies, Mosquitoes, Small Flying Moths (Millers), and Gnats: Close all doors and windows. Point nozzle upward and direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

Wasps: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible.

BEST AVAILABLE COPY

Repeat as necessary.

Roaches, Waterbugs, Earwigs, Grain Nites, Sowbugs, Spiders and Centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

STORAGE AND DISPOSAL

Store in a cool, dry area. Do not transport or store below 32°F.

Wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF IN EYES OR ON SKIN: Flush affected area with plenty of water. Contact a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Do not apply directly to water or wetlands (swamps, bays, marshes, potholes). Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent areas. Do not contaminate water when disposing of equipment washwaters.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION


Harmful if swallowed. Avoid contact with skin and eyes. Avoid inhalation of spray mist. Avoid contamination of feed and foodstuffs.

When using this product as a space spray in food processing plants, foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in these areas, apply only when the facility is not in operation.

PHYSICAL HAZARDS

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 173° may cause bursting. Never throw container into fire or incinerator.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herein.



BEST AVAILABLE COPY