Pyrenone[®] SMALL

ALL ANIMAL & KENNEL INSECTION ACCORD

For Control of Ticks, Fleas, Lice and Ear Mites on Pogs and Cats

Protects against Chiggers, Eye Gnats, Biting Flies and Mosquitoes

The insecticidal ingredients of this concentrate are highly and rapidly effective against insects. This concentrate is designed for dilution with water at specified rates for use on animals or in kennels as a space, surface, fogging spray or as a dip.

ACTIVE INGREDIENTS:

Pyrethrins	1.18*
*Piperonyl Butoxide, Technical	11.84
Petroleum Distillate	72.187
INERT INGREDIENTS:	14.80%
•	100 007

*Equivalent to 9.47% (butylcarbityl)(5-propylpiperonyl ether and 2.37% related compounds

KEEP OUT OF REACH OF CHILDREN CAUTION

See rear panels for additional precautions.

PYRENONE - Registered trademark of Fairfield American Corporation

EPA Reg. No. 4816-406

EPA Est. No. 279-NY-1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Dilutions of this concentrate should be made shortly before use in the diametry needed for the individual applications water dilutions should not be kept for future use.

To Control Insects On Animals:

Sponge Bath or Dip: Dilute this concentrate at a rate of 1 bluid ownce ln.23 fluid counces of water (2 tablespoods of longestrate in 2 3/4 cups of water) of 5 fluid counces. (12 tablespoons) in 1 gallon of water.

for rapid control of ticks, fless and lice on cats and dogs, sponge solution on thoroughly wetting skin over entire animal or dip the animal. Do not rinse; allow solution to remain on animal. In cases of heavy tick infestations on long-haired cats or dogs, dilute 1 fluid ounce of concentrate to 11 fluid ounces with water (2 tablespoons of concentrate in 15 cups water) or 12 fluid ounces (24 tablespoons) of concentrate in one gallon of water.

Mist Spray: Dilute this concentrate at the rate of 7 fluid ounces in 1 gallon of water or 1 fluid ounce of concentrate in 18 fluid ounces of water.

For rapid control of ticks, fleas and lice using a mist spray. To insure thorough coverage, part the fur by stroking against the lay of the hair as spray is applied. Spray ticks directly. Apply to moisten the fur lightly.

To control spinose car ticks and car mites, syringe the ears with a few drops of this dilution so that it can penetrate the wax down to the surrounding tissues. Repeat treatment once or twice at 2 to 3 day intervals as necessary. For temporary protection from mosquitoes, eye gnats, biting flies and chiggers, apply to cover the surface of the hair. Repeat treatment as necessary when insects are troublesons.

Ticks are only an occasional pest of cats. This product will control ticks on cats should they occur.

To Control Insects in Kennels and Animal Quarters

Dilute at the rate of 13 fluid ounces in 1 gallon of water or 2 fluid ounces in 18 fluid ounces of water.

Remove pets before treating area and ventilate thoroughly before allowing them to re-enter treated area.

For rapid cleanout of <u>fleas</u> and <u>ticks</u> in kennels, apply this dilution in a good machine adjusted to deliver coarse droplets. Apply to the point of runoff with special attention to cracks and crevices and other insect hiding places. Bedding should be removed and sprayed thoroughly.

To control flies, mosquitoes and gnets in Rennels, apply this dilution in a good, sprayer adjusted to deliver a fine mist. Use at the rate Rodennets Act, of approximately 1 ounce for 1000 cubic teet in the pentile of space. Fill the enclosed area with mist. The pentile wherever practical. Keep doors and windows No. 18 16 106 closed for 10 minutes or more after application.

Do not remain in treated areas and ventilate

COLE 724.75

DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

after treatment is completed.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contamination of feed, feed and utensils. Avoid contamination of feed and utensils by keeping them well covered while spraying the area.

Remove pets, birds and cover fish aquaris before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate sater by cleaning of equipment or disposal of sastes. Apply this product only as specified on this label.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

NET	CONTENTS	GALLONS
NET	CONTENTS	LITERS
NET	CONTENTS	POUNDS
NET	CONTENTS	KILOS
		100





FAIRPIELD
AMERICAN
CORPORATION
3932 Salt Road
Medina, New York 14103