

[4816-410]



VAPORIZER CONCENTRATE 0.5-0.1

EPA Reg. No. 4816-410

For use in food processing plants, restaurants, hotels, and other food handling areas. This product is a space spray and should be used in accordance with the directions on the label. It is not to be used on food or food containers. It is not to be used in areas where food is being prepared or served. It is not to be used in areas where food is being stored. It is not to be used in areas where food is being displayed. It is not to be used in areas where food is being consumed. It is not to be used in areas where food is being handled. It is not to be used in areas where food is being transported. It is not to be used in areas where food is being received. It is not to be used in areas where food is being shipped. It is not to be used in areas where food is being stored. It is not to be used in areas where food is being displayed. It is not to be used in areas where food is being consumed. It is not to be used in areas where food is being handled. It is not to be used in areas where food is being transported. It is not to be used in areas where food is being received. It is not to be used in areas where food is being shipped.

ACTIVE INGREDIENTS:		100%
Pyrethrins	0.1%	
*Piperonyl Butoxide, Technical	0.5%	
Petroleum Distillate	99.4%	

*Equivalent to 0.4% of (butylcarbityl) (6-propylpiperonyl) ether and 0.1% of related compounds.

PYRENONE is a registered trademark of FMC Corporation

CAUTION
Keep Out Of Reach Of Children
See rear panel for additional precautions

Net Contents 1 Gallon



Niagara Chemical Division
Middleport, N.Y. 14105

4-15-72
4816-410

DIRECTIONS

Close windows and doors and shut off ventilating systems. Using appropriate fogging or vaporizing applicators, apply at rate of 3 to 6 ounces per 1000 cubic feet of space. The lower rate may be used at machine settings which provide finer particles of spray mist. Manufacturer's recommendations may often be helpful. The dosage and distribution should be sufficient to thoroughly fill the enclosure with vapor or fog. Keep area closed for at least 15 minutes. Vacate treated area and ventilate before reoccupying. Repeat treatment as necessary.

The above described application will kill accessible, exposed stages of flies, including fruit flies, mosquitoes, silverfish, flying moths, gnats, crickets, roaches, spiders, scorpions, wasps, hornets, clover mites, cheese mites, cheese skippers, and these common stored product pests: granary weevils, rice weevils, grain beetles, spider beetles, cigarette beetles, Drugstore beetles, flour beetles, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, Tobacco moths, meal worms, and grain mites.

CAUTION; Harmful if swallowed. Avoid contamination of feed or foodstuffs.

The use of this product as a space spray in food processing plants should be confined to time periods when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

Do not remain in treated areas and ventilate the area after treatment is completed.

This insecticide is an oil base material and should not be sprayed, stored or otherwise exposed to an open flame. Not more than one gallon should be sprayed in 40,000 cubic feet of enclosed space in order to avoid an explosion hazard.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy by perforating or crushing and burying in a safe place or return to drum reconditioner.