

9-11 4816-415

PM-17

181

CODE 821.20

# INDUSTRIAL PRESSURIZED SPRAY 2.0-0.4

REGISTERED  
with PATENTS  
in USA

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

## STORAGE AND DISPOSAL

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

Contains **PYRETHRE** Industrial Strength  
for use in Schools, Hospitals, Institutions,  
Dairies, Supermarkets, Hotels, Restaurants,  
Drive-Ins, Hotels, Drug Stores, Food Plants and  
Animal Quarters

Provides Rapid Control of Flies, Mosquitoes,  
Gnats, Wasps, Flying Moths (Millers) and acces-  
sible stages of Roaches, Ants, Waterbugs, Silver-  
fish, Flour Beetles, Weevils, Grain Mites and  
Spiders

3 MAR 1958

4816-415

### ACTIVE INGREDIENTS

Pyrethrins.....	0.4%
*Piperonyl Butoxide, Technical.....	2.0%
**INERT INGREDIENTS.....	97.6%

This product contains the toxic inert 100.0%  
ingredient Methylene Chloride.

\*Equivalent to 1.6% (butylcarbityl)(6-propyl-  
piperonyl) ether and 0.4% related compounds

\*\*Contains Petroleum Distillate

**Keep Out Of Reach Of Children**

## CAUTION

Harmful if swallowed.

See rear panel for additional precautions.

EPA Reg. No. 4816-415

EPA Est. No. 279-NY-1

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### CAUTION

Harmful if swallowed. Avoid inhalation of spray  
mist. Avoid contact with skin and eyes. Avoid  
contamination of feed and foodstuffs. Vacate  
premises after treatment and ventilate before  
reoccupying. Remove pets, birds and cover fish  
aquariums before spraying. When using this prod-  
uct as a space spray in food processing plants,  
foods should be removed or covered during treat-  
ment. All food surfaces should be covered during  
treatment or thoroughly cleaned before using.  
When using this product in these areas, apply  
only when the facility is not in operation.

#### PHYSICAL OR CHEMICAL HAZARDS

Flammable! Contents under pressure. Keep away  
from heat, sparks and open flame. Do not punc-  
ture or incinerate container. Exposure to tem-  
peratures above 100°F may cause bursting.

BEST AVAILABLE COPY

Hold container upright with nozzle away from you.  
Press valve down and spray as directed. Keep noz-  
zle at least 36 inches from surfaces of fabrics  
to avoid possible staining.

Flies, Mosquitoes, Gnats, Wasps and Flying Moths:  
Close all doors and windows and spray room at the  
rate of 1 second per 1000 cubic feet. Direct spray  
to all parts of room, especially windows and other  
light sources which attract these insects. Keep  
nozzle in constant motion. Keep room closed for  
10 to 15 minutes. Repeat treatment as necessary.

Roaches, Waterbugs, Silverfish, Crickets, Spiders,  
Centipedes and Sowbugs: Spray into hiding places  
such as cracks and crevices, behind sinks, cabi-  
nets, along baseboards and floors, around drains  
and plumbing, hitting insects with spray whenever  
possible. Repeat treatment as necessary.

Ants: Spray trails, nests and points of entry.  
Spray on ants where possible. Repeat as necessary.


Exposed stages of Indian Meal Moths, Angoumois  
Grain Moths: Close doors and windows, direct  
spray into all parts of room especially around  
stored food product containers, pallets and dark-  
ened areas. Spray 7 to 10 seconds for each 1000  
cubic feet of space. Keep area closed for 15  
minutes following treatment. Repeat application  
weekly or as needed.

Exposed stages of Flour Beetles, Weevils, Grain  
Mites: Spray into cracks and crevices, processing  
and handling equipment, around cartons and con-  
tainers and other areas where insects tend to  
congregate. Spray 30 seconds for each 100 square  
feet. Keep area closed for 45 minutes to 1 hour  
after treatment. Repeat applications as necessary.

Carpet Beetles: Spray directly on beetles, floors,  
baseboards, shelves and carpets. Repeat treatment  
as necessary.

Bedbugs: Spray mattresses, particularly around  
tufts and seams. Take bed apart and spray into  
all joints. Treat baseboards, molding and floors.  
Allow treated fabric to dry thoroughly before  
using. Repeat treatment as necessary.

SEE REVERSE SIDE



**FAIRFIELD  
AMERICAN  
CORPORATION**

3932 Salt Road  
Medina, New York 141