

Reg # 4816-421

PM-17

131

ODE 824.6G KENNEL & CANINE PRESSURIZED INSECTICIDE

A PYRENONE® INSECTICIDE

SUPER STRENGTH - Highly Active Solvent -
Non-Aqueous - Reduced Oil

For Use In Kennels, Sleeping Quarters and On Dogs

ACTIVE INGREDIENTS

Pyrethrins 0.3%
Piperonyl Butoxide, Technical 2.4%

INERT INGREDIENTS 97.3%
100.0%

*Equivalent to 1.92% (butylcarbityl)(6-propyl-
piperonyl) ether and 0.48% related compounds

**Contains Petroleum Distillate

FAIRFELD® - Registered trademark of Fairfield
American Corporation

KEEP OUT OF REACH OF CHILDREN

CAUTION

Harmful if swallowed. Avoid inhalation of spray
mist. Avoid contact with skin and eyes.

See rear panel for additional precautions.

CFA Reg. No. 4816-421
EPA Est. No. 079-NY-1

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid inhalation of spray
mist. Avoid contact with skin and eyes. Wash
hands after use. Avoid contamination of exposed
food, feedstuffs or utensils.

When using as a space spray, remove pets, birds
and cover fish.

Do not treat or cause exposure of puppies under
four weeks of age.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near
heat or open flame. Do not puncture or incinerate
container. Exposure to temperatures above 130°F
may cause bursting.

BEST AVAILABLE COPY

AC

JAN 21 1980

Unit
Est.
no.
reg.
no.
4816-421

DIRECTIONS FOR USE

It is a violation of Federal law to use this
product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not incinerate. Wrap container and put in
trash collection.

Point valve away from face and press actuator
button to spray as directed.

IN KENNELS AND SLEEPING QUARTERS: Remove pets,
birds and cover fish aquaria before spraying.

Flies, Mosquitoes, Gnats, Wasps and Small Flying
Moths: Close windows and doors and shut off
ventilating systems. Spray at the rate of 2 to
3 seconds per 1000 cubic feet of space, to thor-
oughly fill the area with mist. Keep room closed
for 10 to 15 minutes after treatment. Repeat
treatment as necessary. Do not remain in treated
area and ventilate before reoccupying.

To kill exposed stages of ticks, fleas, lice,
cockroaches, spiders, crickets, and silverfish:
Spray surfaces with special attention to cracks
crevices and insect hiding places. Spray directly
on ticks, roaches and other insects whenever
possible. Remove bedding and spray thoroughly.
Repeat treatment as needed.

FOR USE ON DOGS: To kill ticks, fleas, and lice
on dogs, spray thoroughly, stroking against the
lay of the hair to insure penetration of the fur.
Spray directly on ticks.

For temporary protection from the annoyance of
mosquitoes, flies, chiggers, and gnats, spray
the surface of the hair coat lightly. Repeat
treatment as necessary when insects are troublesome.

Not recommended for use on puppies under four
weeks of age.

Buyer assumes all risks of use, storage or
handling of this material not in strict accor-
dance with directions given herewith.



FAIRFIELD
CORPORATION

3832 Salt R.
Medina, Ne