

Pyrenone® SPACE SPRAY

CODE 721.60

EPA Reg. No. 4816-428 EPA Est. No. 279-NY-1

An Effective Semi-Concentrated PYRENONE® Insecticide.

For Application in Specialized Mechanical, Thermal, or Compressed Air Fogging Equipment.

For Use in Bakeries, Food Plants, Restaurants, Hotels, Motels, Hospitals, Schools, Office Buildings, Food Processing or Handling Plants, and Warehouses.

ACTIVE INGREDIENTS

| | |
|--------------------------------|-------|
| Pyrethrins | 0.3% |
| *Piperonyl Butoxide, Technical | 2.4% |
| **INERT INGREDIENTS: | 97.3% |

*Equivalent to 1.92% (butylcarbitol) (6-propylpiperonyl) ether and 0.48% related compounds.

**Contains Petroleum Distillate

PYRENONE - Registered trademark of Fairfield American Corporation

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panel for additional precautions

NET CONTENTS: _____

BATCH _____

Printed in U.S.A.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This ready-to-use concentrate may be dispersed through good mechanical, thermal or compressed air fogging or spraying equipment. If used in edible product areas of Federally inspected meat, poultry, shell egg grading and egg product establishments, it must be dispersed as an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns).

SPACE TREATMENT - Close doors and windows and shut off ventilating systems. Apply as a fog or fine mist, distributing the spray throughout the area. Use at a rate of 1 ounce per 1000 cubic feet of space. Direct spray behind and under obstructions and contact crawling insects whenever possible. Keep area closed for 10 to 15 minutes. Vacate treated area and ventilate before reoccupying. Repeat treatment as necessary. For wasps and hornets, spray late in the evening when insects are at rest.

The above described application will kill accessible exposed stages of house flies, fruit flies, mosquitoes, silverfish, small flying moths, gnats, crickets, cockroaches, spiders, scorpions, wasps, hornets, clover mites, cheese mites, cheese skippers, and these common stored product pests: granary weevils, rice weevils, confused flour beetles, saw-toothed grain beetles, spider beetles, cigarette beetles, drugstore beetles, Angoumois grain moth, Mediterranean flour moth, Indian meal moth, tobacco moths, meal worms, and grain mites.

SURFACE APPLICATION - To insure maximum control of crawling insects listed, apply as a coarse mist directed toward insects, into cracks, crevices, around machinery, around containers of stored products and other areas wherever these insects may hide. Repeat as necessary.

SPACE SPRAY - Stored Sweet Potatoes: For 1 gallon of this material per 100,000 cubic feet to control vinegar flies. Apply as a space spray with a mechanical or thermal generator. Apply only when flying insects are present. During periods of heavy infestation several applications may be necessary. Do not make more than 10 applications.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL:

Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.

CONTAINER DISPOSAL:

Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local authorities.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in bakeries and food processing plants, wash all equipment, benches, shelving, etc., where exposed food will be handled, with potable water. All food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Contact a physician or Poison Control Center. Do not induce vomiting unless directed by a physician. This product contains a high amount of petroleum distillate. Vomiting may cause aspiration pneumonia.

If Inhaled: Remove affected person to fresh air. Apply artificial respiration if indicated.

If in Eyes or on Skin: Flush with plenty of water. Contact a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions stated on label.

Not Reviewed. Registrant claims to be in accordance with

Registration of Pesticide Product Guidance for Phase 2

Response, Page 2 12, Active to Inert Change in Status.

ACCEPTED
AUG 17 1982
Under the Federal Insecticide, Fungicide, and Rodenticide Act
EPA Reg. No. 4816-42

FAIRFIELD
AMERICAN
CORPORATION