



7/11 11 21
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

FEB 13 1991

OFFICE OF
PESTICIDES AND TOXIC SUBSTANCES

Mr. Jan Brill
Regulatory Manager
Fairfield American Corporation
809 Harrison Street
Frenchtown, NJ 08825

Dear Mr. Brill:

Subject: May 4, 1989 Inert of Toxicological Concern Removal
Amendment Request/ Your Fax Dated January 21, 1991.
Your Label Amendment Submitted 1/24/90
EPA Registration No. 4816-429


As per your request we have reevaluated the 5/4/89 amendment request and concluded that both amendments referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act are acceptable subject to the following comments.

1. Remove the statement "This product contains the toxic inert ingredient methylene chloride." from your label.
2. Under the heading PHYSICAL OR CHEMICAL HAZARDS, list the product as extremely flammable since your product contains flammable propellants.
3. Submit the product specific product chemistry data matrix for the new formulation including the flash point of the product with the propellant.
4. Since your data matrix does not provide a dielectrical breakdown voltage, you must add the following statement to the Physical or Chemical Hazards statements. **Do not use this product in or on electrical equipment due to the possibility of shock hazard.**

-2-

A stamped copy of the draft label is enclosed for your records. Submit five (5) final printed labels.

Sincerely,



Phil Hutton
Product Manager 17
Insecticide-Rodenticide Branch
Registration Division (H7505C)

E 820.10

PRESSURIZED SPRAY MULTI-USE INSECTICIDE

Contains PYRENE®

SUPER STRENGTH - Highly Active Solvent System -
Non-Aqueous

For Control of Residential, Industrial and Garden
Insect Pests

ACTIVE INGREDIENTS

Pyrethrins 0.3%
*Piperonyl Butoxide, Technical 2.4%

**INERT INGREDIENTS 97.3%

This product contains the toxic 100.0%
inert ingredient Methylene Chloride.

*Equivalent to 2% (butylcarbityl)(6-propylpipé-
ronyl) ether and 0.4% related compounds

**Contains Petroleum Distillate

PYRENE® - registered trademark of Fairfield
American Corporation

KEEP OUT OF REACH OF CHILDREN

CAUTION

Harmful if swallowed. Avoid breathing of vapor.
Avoid contact with skin and eyes.

See rear panel for additional precautions.

EPA Reg. No. 4816-429
EPA Est. No. 279-NY-1

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contamination of feed
and foodstuffs. Avoid breathing of vapor. Avoid
contact with skin and eyes.

When using this product as a space spray in food
processing plants, foods should be removed or
covered during treatment. All food processing
surfaces should be covered during treatment or
thoroughly cleaned before using. When using this
product in these areas, apply only when facility
is not in operation.

Do not remain in treated areas and ventilate the
area after treatment is completed.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near
heat or open flame. Do not puncture or incinerate
container. Exposure to temperatures above 130°F
may cause bursting.

NET CONTENTS

ACCEPTED
STATEMENTS

FEB 12 1991

DIRECTIONS FOR USE

It is a violation of Federal law to use this pro-
duct in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

DISPOSAL: Do not reuse empty container. Wrap
container and put in trash collection.

Hold container upright with nozzle away from you.
Press valve down and spray as directed. Keep noz-
zle at least 36 inches from surfaces or fabrics
to avoid possible staining.

Remove pets, birds and cover fish aquariums be-
fore spraying.

Flies, Mosquitoes, Gnats, Wasps and Flying Moths:
Close all doors and windows and spray room at the
rate of 2 to 3 seconds per 1000 cubic feet. Direct
spray to all parts of the room, especially windows
and other light sources which attract these in-
sects. Keep nozzle in constant motion. Repeat
treatment as necessary.

**Roaches, Waterbugs, Silverfish, Crickets, Spiders,
Centipedes and Sowbugs:** Spray into hiding places
such as cracks and crevices, behind sinks, cabi-
nets, along baseboards and floors, around drains
and plumbing, hitting insects with spray whenever
possible. Repeat treatment as necessary.

Mites: Spray trails, nests and points of entry.
Spray on ants where possible. Repeat as necessary.

Indian Meal Moths, Angoumois Grain Moths: Close
doors and windows, direct spray into all parts of
room especially around stored food product con-
tainers, pallets and darkened areas. Spray 7 to
10 seconds for each 1000 cubic feet of space.
Keep area closed for 15 minutes following treat-
ment. Repeat application weekly or as needed.

**Exposed stages of Confused Flour Beetles, Saw-
toothed Grain Beetles, Red Flour Beetles, Rice
Weevils, Granary Weevils, Grain Mites:** Spray into
cracks and crevices, processing and handling
equipment, around cartons or containers or other
areas where these insects tend to congregate.
Spray 30 seconds for each 100 square feet of sur-
face. Keep area closed for 45 minutes to 1 hour
after treatment. Repeat applications as necessary.

Carpet Beetles: Spray directly on beetles, floors,
baseboards, shelves and carpets. Repeat treatment
as necessary.

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Repeat treatment as necessary.

Fleas: Spray sleeping quarters, floor and floor covering where pets are kept. Repeat as necessary. Use only a recommended pet spray on pets.

For the Control of Garden Insects: For use on roses, dahlias, asters and other ornamentals to kill Japanese beetles hit by spray, as well as aphids, exposed thrips and spider mites.

May be used on plants, as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, euonymus, fuchsia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against aphids, spider mites, exposed thrips, lace bugs, Japanese beetles, pavement ants, clover mites and army worms.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Do not wet foliage or blossoms.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.