

A Registered Label for the Assistance of Our Customers

DAIRY & LIVESTOCK SPRAY

EPA Reg.No. 4816-433

A Ready-To-Use PYRENONE[®] Insecticide

Acceptable For Use on Dairy and Meat Animals and in Dairy Barns, Milk Rooms and Dairies.

Kills Houseflies, Stables Flies, Horse Flies, Horn Flies, Mosquitoes, Gnats, and Lice.

ACTIVE INGREDIENTS:		100%
Pyrethrins	0.10%
*Piperonyl Butoxide, Tech	1.00%
Petroleum Distillate	98.90%

*Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% of related compounds

[®] Registered trademark of FMC Corporation

CAUTION

Keep Out Of Reach Of Children

See rear panel for additional precautions

Net Contents 1 Gallon



Manufactured by
INDUSTRIAL DEPARTMENT
Niagara Chemical Division
Middleport, N. Y. 14105

DIRECTIONS

ON ANIMALS: To protect animals from horn flies, house flies, mosquitoes, and gnats, apply a light mist sufficient to wet the tips of the hair. To control stable flies, horse flies, deer flies, apply 2 ounces per adult animal, sufficient to wet the hair but not to soak the hide. Repeat treatment once or twice daily or at intervals necessary to give continued protection.

To control blood-sucking lice, apply the spray lightly to infested areas, using a stiff brush to get the spray to the base of the hair. Use 2 ounces or less per animal. Repeat every two or three weeks as required.

BARN, MILK ROOMS, DAIRY PLANTS: To control flies, mosquitoes, and gnats, apply as a fog or fine mist, directing spray toward the ceiling and upper corners, until the area is filled with mist, using about 2 ounces per 1000 cubic feet of space. For best results, close windows and doors before spraying and keep closed for ten to fifteen minutes. Vacate the area and ventilate before reoccupying. Repeat application as necessary.

CAUTION: Harmful if swallowed. Avoid contamination of feed or foodstuffs. Foods should be removed or covered during treatment. Utensils or food handling surfaces should be removed or covered before spraying or thoroughly cleaned before using.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of spray equipment or disposal of wastes.

Do not reuse empty container. Destroy by perforating or crushing and burying in a safe place.

