

CODE 725.00

Reg #

4816-433

P11-17

17

# DAIRY & LIVESTOCK SPRAY

ACCEPTED

AUG 29, 1978

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 4816-433

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

### CAUTION

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in these areas, apply only when the facility is not in operation.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of spray equipment or disposal of wastes.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Reseal container and offer for reconditioning or triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill or bury in a safe place. Consult Federal, state or local disposal authorities for approved alternative procedures.

A Ready-To-Use PYRENONE<sup>®</sup> Insecticide

### KILLS AND REPELS

Kills Houseflies, Stable Flies, Horse Flies, Horn Flies, Mosquitoes, Gnats and Lice

Acceptable for Use on Dairy and Meat Animals and in Dairy Rooms, Milk Rooms and Dairies

### ACTIVE INGREDIENTS

Pyrethrins.....	0.10%
*Piperonyl Butoxide, Technical .....	1.00%
**INERT INGREDIENTS.....	98.90%
	100.00%

\*Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds

\*\*Contains Petroleum Distillate

PYRENONE - Registered trademark of Fairfield American Corp.

Keep Out Of Reach Of Children

## CAUTION

Harmful if swallowed.  
See side panel for additional precautionary statements.

EPA Reg. No. 4816-433  
EPA Est. No. 279-NY-1

NET CONTENTS _____	GALLONS
NET CONTENTS _____	LITERS
NET CONTENTS _____	POUNDS
NET CONTENTS _____	KILOS

BATCH \_\_\_\_\_

BEST AVAILABLE COPY

ON ANIMALS: To protect animals from horn flies, house flies, mosquitoes and gnats, apply a light mist sufficient to wet the tips of the hair. To control stable flies, horse flies, deer flies, apply 2 ounces per adult animal, sufficient to wet the hair, but not to soak the hide. Repeat treatment once or twice daily or at intervals necessary to give continued protection.

To control blood-sucking lice, apply the spray lightly to infested areas, using a stiff brush to get the spray to the base of the hair. Use 2 ounces or less per animal. Repeat every two to three weeks as required.

BARN, MILK ROOMS, DAIRY PLANTS: To control flies, mosquitoes, and gnats, apply as a fog or fine mist, directing the spray toward the ceiling and upper corners of the room until the area is filled with mist, using about 2 ounces per 1000 cubic feet of space. For best results, close windows and doors before spraying and keep closed for ten to fifteen minutes. Vacate the area and ventilate before reoccupying. Repeat application as necessary.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given

FAIRFIELD  
AMERICAN

CODE 725.00