

Rag # 4816-433

# **DAIRY & LIVESTOCK SPRAY**

A READY TO USE PYRENONE INSECTICIDE

DAIRY ROOMS, MILK ROOMS AND DAIRIES.

MOSQUITOES, GNATS AND LICE

**CODE 72500** 

### PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals

**CAUTION** 

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in these areas, apply only when the facility is not in operation.

Environmental Hazards
This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas halout the mean high water mark. The not cleaning of society. areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of spray equipment or disposal of wastes.

#### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with

Pesticide Disposal: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and local procedures.

CONTAINERS ONE GALLON AND SMALLER: Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

ON ANIMALS: To protect animals from Horn Flies, House Flies, Mosquitoes and Gnats, apply a light mist sufficient to wet the tips of the hair.

To control Stable Flies, Horse Flies, Deer Flies, apply 2 ounces per adult animal, sufficient to wet the hair, but not to soak the hide. Repeat treatment once or twice daily or at intervals necessary to give continued protection.

To control Blood-sucking Lice, apply the spray lightly to infested areas, using a stiff brush to get the spray to the base of the hair. Use 2 ounces or less per animal. Repeat every two to three weeks as required.

BARNS, MILK ROOMS, DAIRY PLANTS: To control Flies, Mosquitoes and Gnats, apply as a fog or fine mist, directing the spray toward the ceiling and upper corners of the room until the area is filled with mist, using about 2 ounces per 1000 cubic feet of space. For best results, close windows and doors before spraying and keep closed for ten to fifteen minutes. Vacate the area and ventilate before reoccupying. Repeat application as necessary.

Buyer assumes all responsibility for safety and use not in accordance with directions.

AgrEvo Environmental Health 95 Chestnut Ridge Road Montvale, NI 07645

### **ACTIVE INGREDIENTS:**

KILLS AND REPELS

Pyrethrins	0.10%
*Piperonyl Butoxide, Technical	1.00%
**INERT INGREDIENTS:	
	100.00%

\*Equivalent to 0.8% (butylcarbityl)(6-propylpiperonyl) ether and 0.2% related compounds.

KILLS HOUSE FLIES, STABLE FLIES, HORSE FLIES, HORN FLIES,

ACCEPTABLE FOR USE ON DAIRY AND MEAT ANIMALS AND IN

\*\*Contains Petroleum Distllate

Pyrenone - Registered Trademark of AgrEvo Environmental Health, Inc.

EPA REG. NO. 4816-433

EPA EST. NO.

### KEEP OUT OF REACH OF CHILDREN CAUTION

See Side Panel For Additional Cautions

## NOTIFICATION

AUG 26 1990

**NET CONTENTS** 

433 030496TK