

CODE 821.80

Industrial Aqueous Pressurized 2.0-0.4

A PYRENONE[®] Insecticide

Industrial Strength - Low Dosage Required

For Use in Schools, Hospitals, Institutions, Hotels, Dairies, Supermarkets, Restaurants, Drive-ins, Motels, Drugstores, Food Plants and Animal Quarters

Provides Rapid Control of Flies, Mosquitoes, Flying Moths (Millers), Gnats, Wasps and accessible stages of Roaches, Ants, Water Bugs, Silverfish, Flour Beetles, Weevils, Grain Mites and Spiders

ACTIVE INGREDIENTS:

Pyrethrins	0.40%
Piperonyl Butoxide, Technical	2.00%
Petroleum Distillate	7.40%
INERT INGREDIENTS:	90.20%
	100.00%

Equivalent to 1.6% (butylcarbityl)(6-propyl-piperonyl) ether and 0.4% related compounds

PYRENONE - Registered trademark of Fairfield American Corporation

EPA Reg. No. 4816-440
EPA Est. No. 279-NY-1

ACCEPTED
MAR 14 1980
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this pesticide is registered under EPA Reg. No. 4816 440

Keep Out Of Reach Of Children
CAUTION

See side panel for additional precautionary statements.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Avoid breathing of vapor or contact with skin or eyes. Vacate premises after treatment and ventilate before reoccupying.

Avoid contamination of feed and foodstuffs. When using this product in food processing plants, food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in these areas, apply only when the facility is not in operation.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

BEST DOCUMENT AVAILABLE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

DISPOSAL: Wrap container and put in trash collection.

See rear panels



4816-440

SHAKE BEFORE USING AND AT INTERVALS DURING PROLONGED USE.

Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range.

Flies, Mosquitoes, Gnats, Wasps and Flying Moths (Millers): Close all doors and windows and spray room at the rate of 1 second per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Repeat treatment as necessary.

Roaches, Waterbugs, Silverfish, Crickets, Spiders, Centipedes and Sow Bugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Indian Meal Moths and Angoumois Grain Moths: Close doors and windows. Direct spray into all parts of room especially around stored food product containers, pallets and darkened areas.

Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application weekly or as needed.

Carpet Beetles: Spray directly on beetles, baseboards, floors, shelves and carpets. Repeat treatment as necessary.

Confused Flour Beetles, Saw-toothed Grain Beetles, Granary Weevils, Rice Weevils, Red Flour Beetles, Grain Mites: Spray into cracks and crevices, processing and handling equipment, around cartons or containers and other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat applications as necessary.

Lice: Spray on garments, bedding, mattresses. Furniture, floors, carpeting and inanimate surfaces. First spray an inconspicuous area to test for possible staining or discoloration. Inspect after drying, then proceed to spray entire area to be treated.

Hold can upright with nozzle away from you. Press button and spray surface to be treated from a distance of 10 inches. Spray each square foot for 3 seconds, directing spray into all infested surfaces until moist.

For bedding: Make sure spray is directed into corners of fitted sheets and blankets as well as inside and outside of pillow cases. In the case of garments and headgear, close attention should be given to seams, hems, cuffs, collars, and creases. After treatment, bedding and all garments must be either laundered in hot water or dry cleaned as required.

For mattresses, furniture and carpeting: Direct spray into all folds, tufts, seams and crevices of infested areas until moist. Allow all treated surfaces to dry completely before use.

Bedbugs: Spray mattresses, particularly around tufts and seams. Turn beds apart and spray into all joints. Treat baseboards, moldings and frames. Repeat treatment as necessary.

Fleas: Spray sleeping quarters, bedding, floor and floor covering where pets are kept. Repeat as necessary. Use only a recommended pet spray on pets.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

BEST DOCUMENT AVAILABLE