

04/25/1988

25 APR 1988

Ms. Helen C. Theodore
Fairfield American Corporation
8th & Harrison Streets
Frenchtown, NJ 08825


Dear Ms. Theodore:

Subject: Industrial Aqueous Pressurized 2.0-0.4
EPA Registration No. 4816-440
Your Letter Dated July 1, 1987

The proposed amendment to the registration for the product cited above updating the label and changing the declaration of the petroleum distillate from active to inert is acceptable and a stamped copy of the draft label is enclosed for your records. Submit five (5) copies of the finished printed labeling before the product is released for shipment under the revised label.

Submit an updated Confidential Statement of Formula (CSF) for this product. A copy of the current CSF form is enclosed for your use. Be sure that all sections of the form are completed including the upper and lower limits for each component as well as for each active ingredient in pure form. The lower limit for the active ingredients must not be lower than the amount declared on the label.

Sincerely yours,



Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

10089:I:Tavano:H-4:KENCO:3/23/88:4/4/88:rw:VO:PR:aw

CONCURRENCES							
SYMBOL	TS767						
SURNAME	Tavano						
DATE	3/29/88						

25 APR 1988

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, this product is
registered under EPA Reg. No.

~~4816-440~~

INDUSTRIAL AQUEOUS
PRESSURIZED 2.0 - 0.4

EPA REG. NO. 4816-440

CODE 821.80

EPA EST. NO. 279-NY-1

R

A PYRENONE Insecticide

Industrial Strength - Low Dosage Required

For Use in Schools, Hospitals, Institutions, Hotels, Dairies,
Supermarkets, Restaurants, Driveins, Motels, Drugstores, Food
Plants and Animal Quarters

Provides Rapid Control of Flies, Mosquitoes, Flying Moths
(Millers), Gnats, Wasps and accessible stages of Roaches, Ants,
Water Bugs, Silverfish, Flour Beetles, Grain Mites and Spiders

ACTIVE INGREDIENTS:

Pyrethrins.....	0.40%
*Piperonyl Butoxide, Technical.....	2.00%

INERT INGREDIENTS.....	97.60%
------------------------	--------

TOTAL:	100.00%
--------	---------

*Equivalent to 1.6% (butylcarbityl) (6-propylpiperonyl) ether and
0.4% related compounds

PYRENONE - Registered Trademark of Fairfield American Corporation

Keep Out Of Reach Of Children

CAUTION

See side panel for additional precautionary statements.

NET CONTENTS: _____

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE BEFORE USING AND AT INTERVALS DURING PROLONGED USE.

Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range.

Flies, Mosquitoes, Gnats, Wasps and Flying Moths (Millers): Close all doors and windows and spray room at the rate of 1 second per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Repeat treatment as necessary.

Roaches, Waterbugs, Silverfish, Crickets, Spiders, Centipedes and Sow Bugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Indian Meal Moths and Angoumois Grain Moths: Close doors and windows. Direct spray into all parts of room especially around stored food product containers, pallets and darkened areas.

Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application weekly or as needed.

Carpet Beetles: Spray directly on beetles, baseboards, floors, shelves and carpets. Repeat treatment as necessary.

Confused Flour Beetles, Saw-toothed Grain Beetles, Granary Weevils, Rice Weevils, Red Flour Beetles, Grain Mites: Spray into cracks and crevices, processing and handling equipment, around cartons or containers and other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat applications as necessary.

Lice: Spray on garments, bedding, mattresses, furniture, floors, carpeting and inanimate surfaces. First spray an inconspicuous area to test for possible staining or discoloration. Inspect after drying, then proceed to spray entire area to be treated.

Hold can upright with nozzle away from you. Press button and spray surface to be treated from a distance of 10 inches. Spray each square foot for 3 seconds, directing spray into all infested surfaces until moist.

For bedding: Make sure spray is directed into corners of fitted sheets and blankets as well as inside and outside of pillow cases. In the case of garments and headgear, close attention should be given to seams, hems, cuffs, collars, and creases. After treatment, bedding and all garments must be either laundered in hot water or dry cleaned as required.

For mattresses, furniture and carpeting: Direct spray into all folds, tucks, seams and crevices of infested areas until moist. Allow all treated surfaces to dry completely before use.

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and frames. Repeat treatment as necessary.

Fleas: Spray sleeping quarters, bedding, floor and floor covering where pets are kept. Repeat as necessary. Use only a recommended pet spray on pets.

STORAGE & DISPOSAL

STORAGE: Store in a cool dry place inaccessible to children and pets and away from heat or open flame.

DISPOSAL: Replace cap, wrap in several layers of newspaper and discard in trash. Do not puncture or incinerate.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Avoid breathing of vapor or contact with skin or eyes. Vacate premises after treatment and ventilate before reoccupying.

Avoid contamination of feed and foodstuffs. When using this product in food processing plants, food should be removed or covered during treatment. All food processing surfaces should be covered during treatment and washed with an effective cleaning compound followed by a potable water rinse before reuse. When using this product in these areas, apply only when the facility is not in operation.

Remove pets, birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated. Give nothing by mouth to an unconscious person.

IF IN EYES: Flush eyes with water for 10-15 minutes. Contact a physician if irritation persists.

IF ON SKIN: Remove contaminated clothing. Thoroughly wash affected area with soap and water. Contact a physician if irritation persists. Wash clothes before reuse.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting..

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.