

MULTI-PURPOSE Pyrenone[®] INSECTICIDE CONCENTRATE

EPA Reg. No. 1816-112 EPA Est. No. 279-NY-1

FOR USE BY TRAINED PERSONNEL ONLY

A HIGHLY VERSATILE PYRENONE[®] CONCENTRATE.
MAY BE DILUTED WITH EITHER WATER OR OIL.

For use in Bakeries, Bottling Plants, Canneries, Flour Mills, Food Processing Plants, Grain Elevators, Hospitals, Hotels, Motels, Restaurants, Outdoors for Mosquito Control and on Growing Crops.

Provides Rapid Kill of Insects Named Without Objectionable Residues.

ACTIVE INGREDIENTS	
Pyrethrins	1.0%
*Piperonyl Butoxide, Technical	10.0%
*INERT INGREDIENTS	89.0%
100.0%	

*Equivalent to min. 3.0% (butylcarbityl) (6-crotylpiperonyl) ether and to 2.0% related compounds.

**Contains Petroleum Distillate

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
See rear panel for additional precautions

PYRENONE Registered Trademark of
Fairfield American Corporation

BATCH



Printed in U.S.A.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This concentrate is designed to be diluted with water or oil before use. The resulting spray solution should be applied using good mechanical or compressed air fogging equipment.

Food additive tolerances have been established for the insecticide component in this product. When this product is used as directed, allowable tolerance levels will not be exceeded.

INDOOR APPLICATION Remove pets, birds, and cover fish aquarium before spraying.

To control exposed stages of house flies, including fruit flies, mosquitoes, gnats, cluster flies, and flying ants, dilute 1 part concentrate in 10 parts water or oil (64 ounces per gallon or 2 gallons per 100). Close doors and windows and shut off ventilating systems. Apply as a fog or fine mist directing the spray toward the upper portions of the room and toward windows and other light sources which attract these insects. Thoroughly kill the area with mist using 1 to 2 ounces per 1000 cubic feet. Keep area closed for 10 minutes or more. Vacate after treatment and ventilate before reoccupying. Do not apply while food processing is underway. Repeat treatment as needed.

For initial clean-out of infestations of cockroaches, ants, spiders, flycatcher, earwigs, palm-leaf bugs, waterbugs, firebrats, flat beetles, clickets, boxelder bugs, scorpions, and clover mites; dilute 1 part concentrate in 1 part water or oil. Apply as a coarse droplet surface spray using approximately 1 gallon to 750 square feet. Spray thoroughly all surfaces where these insects are usually found including walls, baseboard moldings, doors, cabinets, shelves, sinks and pipes, with special attention to cracks and crevices, niches, dark corners, drains and similar hiding places. Treat ant trails, nests and runs. When possible, spray insects directly.

Repeat treatment using a dilution of 1 plus 9 at the same rate of application after an interval of one month or when reinfestation occurs.

IN MILLS, ELEVATORS AND GRANARIES: For rapid initial kill of exposed or accessible stages of granary weevil, rice weevil, confused flour beetle, rust red flour beetle, cadelle, sawtoothed grain beetle, spider beetle, dried fruit beetles, dark meal worms, dermestid beetles, bean weevils, cheese mites and grain mites; dilute at a rate of 1 part concentrate to 9 parts water or oil. Clean out any waste grain, dust, dirt or debris and destroy before spraying. Apply as a coarse droplet spray using approximately 1 gallon to 750 square feet of surface.

Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this use.



In mills, elevators, and granaries, thoroughly spray floors, walls and other surfaces of bins, storage and handling areas with particular attention to cracks, crevices, and similar protected locations. Treat unloading, handling and processing areas, and apply the insecticide to conveying, processing and handling equipment, such as the inside of reel conveyors, purifier conveyors, sifters, roll housings and hoppers, pick up conveyors, etc. Spray thoroughly around the base of heavy machinery and equipment.

Thoroughly treat walls, floors, shelves and other exposed surfaces, and lightly spray each layer of cartons or containers as stacked.

Sack surfaces of bagged grain can be sprayed lightly until slightly moist.

For protection in transit, treat truck beds, box cars and ships' holds before loading. Using a dilution of 1 part concentrate in 9 parts water, apply at a rate of 1 gallon to 750 square feet of surface with particular attention to cracks, crevices, and similar hiding places.

ACCEPTED
SEP 20 1982
Federal Insecticide, Fungicide and Rodenticide Act
EPA Reg. No. 4816-442



BEST AVAILABLE COPY

SEE REVERSE SIDE

**FAIRFIELD
AMERICAN
CORPORATION**
1912 Hill Road
Madison, New York 13103

CODE 720.75