306 182²⁷⁵ JUN9 1986

Fairfield American Corporation 8th & Harrison Streets Frenchtown, NJ 08825

Attention: Kim Davis

Gentlemen:

Subject: Pyrenone Mosquito Fogging Spray

EPA Registration No. 4816-453

Your Letter Dated February 26, 1986

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Within 30 days from the date of this letter submit an up-to-date Confidential Statement of Formula.

Sincerely yours,

Arturo E. Castillo

Acting Product Manager (17) Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosure

86854:	Schroeder:G-1:KE	NCO:5/20-686.45	√28/86:eg:	
MBOL >				
JRNAME	·			
ATE .				

MOSQUITO FOGGING SPE

EPA Reg. No. 4816-453 EPA ESt. No. 279-NY-1

READY-TO-USE

OIL BASE PYRENONE INSECTICIDE DESIGNED FOR OUTDOOR FOGGING

ACCEPTABLE FOR INDOOR USE

ACTIVE INGREDIENTS:	0.25%
Perethring	0
*Piperonvl Sutoxide, Technical	2.904
INERT INGREDIENTS:	97.75%
INERT INGREDIENTS:	100 20*

*Equivalent to 1.6% (butylcarbity))(6-propy)piperonvl) ether and 0.4% related compounds.

Contains petroleum distiliates

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements

PYRENONE — Registered Trademark of Fairfield American Corporation.

DIRECTIONS FOR USE

It is a . clat on of Federal law to use this product in a manner inconsistent with its labeling.

To control ADULT MOSQUITOES apply as a fog or fine mist using good mechanical, thermal or compressed air equipment. For best results, treat when wind volocity does not exceed 5 miles per hour. Application in the evening or early morning is recommended.

Treat area thoroughly with particular attention to low and marshy places, shore lines, stagmant pools or pends and shrubbery or vegetation where mosquitoes may rest. Apply at a rate of 20 fluid ounces per acre (or 0.5 fluid ounces per 1000 square feet.)

Using truck mounted or mobile equipment, the above application rate will result if a 300 foot swath is laid down traveling at 5 m.p.h. and dispersing spray at a rate of 28 gailons per hour. Hay also be applied by air-

INDOOR USE: To control MOSQUITOES, HOUSEFITES, GNAIS, and SMALL FLYING MOINS. Fill the room with mist, using one ounce per 1000 cubic feet of space. Keep room closed for 10 minutes. Vacate during treatment and ventilate before reoccupying.

STORAGE AND DISPOSAL

Do not contactnate water, food or feed by storage or dispusal. PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room tem Avoid exposure to extreme temperatures, in case of spill or leaks up with an absorbent material such as sand, sawbust, earth, fullo etc. Dispuse of with chemical waste.

PESTICIPE DISPOSAL: Posticide spray mixture or rinse water that of used according to label instructions must be disposed of at or by approved waste disposal famility.

CONTAINER DISPOSAL: Triple rings for equivalent) then offer for a or reconditioning or puncture and dispose of in a sanitary landf by other approved State and local pro educes.

COMMAINERS ONE GALLON AND SMALLER: Bo not reuse container. Wrap in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIM CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing or spray mist. Avoid contact with skin and eyes. Remove pets a fish aquatia before hose use. This product should only be used processing plants when the plant is not in operation. Food show bowed or covered during treatment. All food processing autilize be covered during treatment and washed with an effective cleanis followed by a potable vater rinse before using.

STATEMENT OF PRACTICAL TREATM

IF SWALLCWED: Contact a physician or Poison Central Center immed Do NOT induce vomiting unless directed by a physician. Centains distillate; aspiration pneumonia is a potential hazard.

IF INHALED: Revove affected person to fresh air. Apply artificia respiration if Indicated.

IF IN EYES: Flush with-plenty of vater. Contact a physician if persists. IF ON SKIN: Remove contaminated clothing and wash affected area

with soap And water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Use only as directed and do not lakes, streams, or ponds by cleaning of equipment or disposal on not apply outdoors when conditions favor drift from intended treatment. PHYSICAL AND CHEMICAL HAZAR

Do not use or store near heat or open flame.

Buyer assumes all risks of use, storage and handling of this ma in strict accordance with directions given herewith.

BATCH

NET CONTENTS: _____