

CAT & DOG INSECTICIDE SPRAY

EPA Reg. No. 4816-456

DIRECTIONS FOR USE

To control fleas, ticks, and lice: Holding can upright, spray the animal with short bursts from a distance of 10 to 12 inches. Starting at the tail, stroke against the lay of the hair, spraying the parted fur directly behind the hand to insure penetrating the coat. Dampen the fur up to the head. Spraying a cat 20 to 30 seconds or an average size dog 30 to 45 seconds is usually sufficient. Repeat application weekly if necessary to control reinfestation.

Do not treat or cause exposure of kittens or puppies under four weeks of age.

To control infestation in sleeping quarters, after treating animals, spray bedding, walls, and floor with special attention to cracks and crevices.

CAUTION: Harmful if swallowed or inhaled. Avoid contact with skin or inhalation of spray mist. Wash thoroughly immediately after use. Avoid contamination of feed, foodstuffs or utensils.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw in fire or incinerator.

®

Contains PYRENONE Insecticide - Non-Aqueous
Provides Rapid Kill of Fleas, Lice and Ticks

Repellent to Flies, Mosquitoes, and Gnats for from 4 to 8 hours

ACTIVE INGREDIENTS

Pyrethrins	0.05%
*Piperonyl Butoxide, Technical	0.50%
Carbaryl (1-naphthyl N-methylcarbamate)	0.50%
Butoxypolypropylene Glycol	5.00%
Petroleum Distillate	0.21%
INERT INGREDIENTS	93.74%
	<hr/>
	100.00%

*Equivalent to 0.4% (butylcarbityl) (6-propylpiperonyl) ether and 0.1% of related compounds

CAUTION

Keep Out Of Reach Of Children

See rear panel for additional precautions

Net Weight: _____

PYRENONE is a registered trademark of FMC Corporation

MANUFACTURED IN U.S.A. BY

FMC CORPORATION

A.C.D. INDUSTRIAL SALES DEPARTMENT
MIDDLEPORT, N.Y. 14106

FMC
Chemicals