

PM 12 4816-456

CODE 824.50

# CAT & DOG INSECTICIDE SPRAY

EPA Reg. No. 4816-456

EPA Est. No.

## STORAGE AND DISPOSAL

Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

Contains PYRETHONE<sup>®</sup> Insecticide - Non Aqueous

Provides Rapid Kill of Fleas, Ticks & Lice

Repellent to Flies, Mosquitoes & Gnats for from 4 to 8 Hours

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

### CAUTION

May be harmful if swallowed. Avoid breathing spray mist. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Do not use this product in commercial food areas of food handling establishments, restaurants, or other places where food is prepared or processed.

### ACTIVE INGREDIENTS:

Pyrethrins	0.05%
*Piperonyl Butoxide, Technical	0.50%
Carbaryl: 1-Naphthyl N-methylcarbamate	0.50%
Butoxypropylene Glycol	5.00%
Petroleum Distillate	0.21%
	93.74%

### INERT INGREDIENTS:

This product contains the toxic 100.00%

Inert ingredient Methylene Chloride.  
\*Equivalent to 0.4% (butylcarbityl)(6-propylpiperonyl) ether and 0.1% related compounds

PYRETHONE - Registered Trademark of Fairfield American Corporation

## HAZARDS TO DOMESTIC ANIMALS

Do not spray directly in/on eyes, mouth or genitalia of pets. Do not treat or cause exposure to kittens or puppies less than four weeks old. Do not use this product on pregnant animals.

## STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Contact a physician or Poison Control Center immediately. Do not induce vomiting unless directed by a physician.

**IF INHALED:** Remove affected person to fresh air. Apply artificial respiration if indicated.

**IF IN EYES:** Flush with plenty of water. Contact a physician if irritation persists.

**IF ON SKIN:** Remove contaminated clothing and wash affected areas of skin with soap and water. Contact a physician if irritation persists.

## ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

## PHYSICAL & CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

**KEEP OUT OF REACH OF CHILDREN.  
CAUTION**

See rear panel for use cautions.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To control fleas, ticks and lice: Holding can upright, spray the animal with short bursts from a distance of 10 to 12 inches. Starting at the tail, stroke against the lay of the hair, spraying the parted fur directly behind the hand to insure penetrating the coat. Dampen the fur up to the head. Spray a cat 20 to 30 seconds or an average dog 30 to 45 seconds is usually sufficient. Repeat application weekly if necessary to control reinfestation.


To control infestation in sleeping quarters, after treating animals, spray bedding, walls and floor with special attention to cracks and crevices.

82450 1184

NET CONTENTS:

ACCEPTED  
NOV 23 1987  
4816 456

**BEST AVAILABLE COPY**



**FAIRFIELD  
AMERICAN  
CORPORATION**  
238 WILSON AVENUE  
NEWARK, N.J. 07105

10/2

# CAT & DOG INSECTICIDE SPRAY

EPA Reg. No. 4816-456

EPA Est. No.

## STORAGE AND DISPOSAL

Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

Contains PYRETHONE<sup>®</sup> Insecticide - Non Aqueous

Provides Rapid Kill of Fleas, Ticks & Lice

Repellent to Flies, Mosquitoes & Gnats for from 4 to 8 Hours

### ACTIVE INGREDIENTS:

Pyrethrins	9.05%
*Piperonyl Butoxide, Technical	0.50%
Carbaryl: 1-Naphthyl R-methylcarbamate	0.50%
Butoxypropylene Glycol	5.00%
Petroleum Distillate	0.21%
	93.74%
<b>INERT INGREDIENTS:</b>	<b>100.00%</b>

This product contains the toxic

Inert Ingredient Methylene Chloride.

\*Equivalent to 0.4% (butylcarbityl)(6-propylpiperonyl) ether and 0.1% related compounds

PYRETHONE - Registered Trademark of Fairfield American Corporation

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

### CAUTION

May be harmful if swallowed. Avoid breathing spray mist. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Do not use this product in commercial food areas of food handling establishments, restaurants, or other places where food is prepared or processed.

## HAZARDS TO DOMESTIC ANIMALS

Do not spray directly in/on eyes, mouth or genitalia of pets. Do not treat or cause exposure to kittens or puppies less than four weeks old. Do not use this product on pregnant animals.

## STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Contact a physician or Poison Control Center immediately. Do not induce vomiting unless directed by a physician.

**IF INHALED:** Remove affected person to fresh air. Apply artificial respiration if indicated.

**IF IN EYES:** Flush with plenty of water. Contact a physician if irritation persists.

**IF ON SKIN:** Remove contaminated clothing and wash affected areas of skin with soap and water. Contact a physician if irritation persists.

## ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

## PHYSICAL & CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

**KEEP OUT OF REACH OF CHILDREN.  
CAUTION**

See rear panel for use cautions.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To control fleas, ticks and lice: Holding can upright, spray the animal with short bursts from a distance of 10 to 12 inches. Starting at the tail, stroke against the lay of the hair, spraying the parted fur directly behind the hand to insure penetrating the coat. Dampen the fur up to the head. Spray a cat 20 to 30 seconds or an average dog 30 to 45 seconds is usually sufficient. Repeat application weekly if necessary to control reinfestation.

To control infestation in sleeping quarters, after treating animals, spray bedding, walls and floor with special attention to cracks and crevices.

ACCEPTED

NOV 23 1987

82450 1124

NET CONTENTS:

BEST AVAILABLE COPY

4816 456



**FAIRFIELD  
AMERICAN**  
CORPORATION  
238 WILSON AVENUE  
NEWARK, N.J. 07105

10/2