15/

CAT & DOG INSECTICIDE SPRAY

EPA Reg. No. 4816-456

EPA Est. No. 279 NY-1

- * Contains PYRENONE® Insecticide-Non-Aqueous
- * Provides Rapid Kill of Fleas, Ticks & Lice
- * Repellent to Files, Mosquiloes & Gnats for from 4 to 8 hours

ACTIVE INGREDIENTS:

| fyrethrins | 0.05% |
|---|---------|
| Piperonyl Butoxide, Technical | 0 50% |
| Carbaryl. 1 Haphiliyi H methylcarbamato | |
| Butoxypolypropylene Glycol | |
| WERT WEREDILMS | |
| | 100.00% |

*Equivalent to 0.4% (butylcarbityl) (6 propylpiperonyl) ether and 0.1% related compounds

PYREHOME - Registered Trademark of Fairfield American Corporation.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Contact a physician or Poison Control Center immediately. Do not induce veniting unless directed by a physician.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF IN EYES: Flush with plenty of water. Contact a physician if initation persists.

IF OH SKIN Remove confamiliated clothing and wash affected areas of skin with soap and water. Confucted physicial it irritation persists.

See rear panel for use cautions



Net Contents:



TAIPTITD ALIERCAN CORPORATION

2011:1-17 Hodh, Rullicaford, 111.07070

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its To control Fleas, Ticks and Lice. Holding can upright, spray the animal with shorts from a distance of 10 to 12 inches. Starting at the tail, stroke against the lay on the spraying the parted fur directly behind the hand to insure penetrating the coat. Dans the fur up to the head. Spraying a cat 20 to 30 seconds or an average dog 30 of seconds is usually sufficient. Repeat application weekly if necessary to control reider tation.

To control infestation in sleeping quarters, after treating animals, spray bodding, walls and floor with special attention to cracks and crevices.

STORAGE AND DISPOSAL

Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS CAUTION

May be harmful if swallowed. Avoid breathing spray mist. Avoid contact with eyes, sk or clothing. Wash thoroughly after handling. Do not use this product in commercial for areas of food handling establishments, restaurants, or other places where food prepared or processed.

HAZARDS TO DOMESTIC ANIMALS

Do not spray directly in/on eyes, mouth or genitalia of pets.

Do not treat or cause exposure to kittens or puppies less than four weeks old.

Do not use this product on pregnant animals.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to was or wetlands. Do not contaminate water by cleaning of equipment or disposal of was

PHYSICAL & CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Exposur temperatures above 130' F may cause bursting.

Buyer assumes all risks of use, storage or handling of this material not in saccordance with directions given herewith.

Reviewed. Registrant claims to be in accordance with sistration of Posticide Product Guidance for Phase 2 130, Page 2.12, Active to Inert Change in Status.