

2 OCT 1995

Jennifer C. Stern
Registration Specialist
AgrEvo Environmental Health
95 Chestnut Ridge Road
Montvale, New Jersey 07645

Dear Ms. Stern:

Subject: Label Amendment
Pyrenone Mill Spray 2-0.2 Oil Type
EPA File Symbol 4816-457
Submission Dated August 29, 1995

The labeling amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the revisions described below:

1. Statement of Practical Treatment Section -- In the "If Inhaled" language, capitalize the "g" in the sentence, "get medical attention."
2. Environmental Hazards Section -- In the second sentence, add the word "apply", so that it reads, "Do not 'apply' directly to water..."
3. Storage and Disposal Section -- In the "container disposal" section, revise the second sentence so that it reads, "Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities."

A stamped copy of the label is enclosed for your records. If you have questions on this matter, please contact Dan Rosenblatt of my staff at (703) 305-7001.

Sincerely,

RPK

Richard P. Keigwin, Jr.
Product Manager 10
Insecticide-Rodenticide Branch
Registration Division

PYRENONE® MILL SPRAY 2-0.2 OIL TYPE

- A Ready-To-Use PYRENONE Insecticide For Control of Insect Pests of Grain and Food Products
- For Use in Flour mills, Elevators, Granaries, Food Processing Plants and Warehouses, Bakeries, Beverage Plants, Restaurants and Supermarkets
- The Insecticidal Components (Piperonyl Butoxide and Pyrethrins) are Classified as Food Additives and When This Product is Used as Directed, Allowable Tolerance Levels Will Not Be Exceeded.

ACTIVE INGREDIENTS

Pyrethrins..... 0.2%
*Piperonyl Butoxide, Technical..... 2.0%
INERT INGREDIENTS**..... 97.8%
100.00%

*Equivalent to 1.8% (butylcarbutyl)(6-propylpiperonyl) ether and 0.2% related compounds.
**Contains Petroleum Distillate
PYRENONE - Registered Trademark of AgrEvo Environmental Health

EPA Reg. No. 4816-457

EPA Est. No.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol.
IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. get medical attention.
IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.
IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

See Side Panel for Additional Precautionary Statements

ACCEPTED
with COMMENTS
In EPA Letter Dated

2 OCT 1995

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, this product is registered under EPA Reg. No.

4816-457

NET CONTENTS:

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

Caution. Harmful if inhaled. Avoid breathing spray. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Remove contaminated clothing and wash clothing before reuse. Wash thoroughly with soap and water after handling. Avoid contamination of feed and foodstuffs. The use of this product in food processing plants should be confined to time periods when plant is not in operation. Foods should be removed or covered before treatment. All food processing surfaces should be covered during treatment or thoroughly washed with an effective cleaning compound and rinsed with potable water before use. Clean out any waste grain, dust, dirt, or debris and destroy before spraying. Remove pets, birds, and fish aquariums before spraying.

Environmental Hazards

This product is toxic to fish. Do not directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Disposal: Pesticide, spray mixture or rinsate that cannot be used according to label directions should be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill.

Surface Spraying: This spray provides rapid initial kill of exposed or accessible stages of the following insects: *granary weevil, rice weevil, confused flour beetle, rust-red flour beetle, cadelle, sawtoothed grain beetle, spider beetle, cheese mites, and grain mites.* Apply as a coarse droplet spray using the following application rate:

APPROXIMATE USE RATE

Spray	Area To Be Covered
1 pint	125 square feet
1 quart	250 square feet
1 gallon	1,000 square feet

Apply at monthly intervals with the first appearance of moths and continuing until early fall. In case of severe infestation, break up webbing with rake before spraying and make a second application in two weeks.

As an aid in the control of *mosquitoes, gnats, wasps, and skippers*, treat walls, ceilings, moldings, screens, door and window frames, beams, light cords and similar resting places.

Space Spraying: To control *flies, mosquitoes, gnats* and *flying moths*, close windows, doors and other ventilation. Using a good sprayer adjusted to deliver a fine mist, direct spray toward the upper portions of the enclosure. Distribute spray throughout the entire area using 1/2 ounce spray per 1000 cubic feet of space. To control active exposed stages of running and crawling insects previously named, direct mist toward and into all places commonly inhabited by these insects, using a rate of 2 ounces per 1000 cubic feet of space. Keep area closed for at least 10 minutes after spraying. Vacate premises and ventilate before reoccupying.

Fogging: This oil base spray is suitable for application using conventional, thermal, mechanical or compressed air fogging equipment. Use as directed under "Space Spraying" filling the entire area with mist at a rate of 2 to 4 ounces per 1000 cubic feet of space, to control exposed or accessible stages of any insects named on this label.

NOTE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

AgrEvo Environmental Health
95 Chestnut Ridge Road
Montvale, new jersey 07645