

4816-461
PM 17
1864

CODE 724.20

Pyrethene[®]

GARDEN DUST

ACTIVE INGREDIENTS:

Pyrethrins	0.10%
*Piperonyl Butoxide, Technical	1.00%
Petroleum Distillate	1.90%
INERT INGREDIENTS:	97.00%
	100.00%

*Equivalent to 0.83 (butylcarbityl)(6-propylpiperonyl) ether and 0.22 related compounds

Pyrethene - Registered trademark of Fairfield American Corporation
EPA Reg. No. 4816-461
EPA Est. No. 279-NY-1

ACCEPTED
DEC 3 1978
Use: For control of insects on plants as provided in the Act, as amended, and the pesticide registered under EPA Reg. No. 4816-461

KEEP OUT OF REACH OF CHILDREN
CAUTION
Avoid inhalation of dust
See side panels for additional precautionary statements.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION
Avoid inhalation of dust.
ENVIRONMENTAL HAZARDS
This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Pyrethene Garden Dust may be used throughout the growing season; or as a preharvest treatment - acceptable for use up to the day of harvest on Edible Plants when other insecticides are prohibited due to residue restrictions and use limitations.

BATCH
[Empty box for batch number]

2064

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open burning and dumping is prohibited. Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by Federal, state or local disposal authorities. Consult Federal, state or local disposal authorities for approved procedures.

Treat only when insects are present and repeat as required to maintain control. Apply dust uniformly to upper and lower leaf surfaces.

CROP	TO CONTROL
ASPARAGUS	Asparagus Beetles
BEANS	Aphids, Leafhoppers, Mexican Bean Beetles
BROCCOLI, CABBAGE, BRUSSEL SPROUTS, CAULIFLOWER	Cabbage Loopers, Diamondback Moth Larvae, Flea Beetles, Harlequin Bugs, Imported Cabbageworm
CELERY	Cabbage Loopers, Leaf Tiers
LETTUCE	Cabbage Loopers, Diamondback Moth Larvae, Imported Cabbageworm
POTATOES	Aphids, Colorado Potato Beetles, Flea Beetles, Leafhoppers
RADISHES	Aphids, Flea Beetles
SPINACH	Aphids, Cabbage Loopers, Webworms
TOMATOES	Green Peach Aphids, Flea Beetles
ORNAMENTALS	Aphids, Flea Beetles, Leafhoppers on: African Violets, Asters, Azaleas, geraniums, Camellias, Carnations, Chrysanthemum, Dahlias, Dogwoods, Gerani- -anthers, Marigolds, Roses, etc.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given hereon.

ACCEPTED
 DEC 3 1978
 EPA REG. NO. 4816-461

CODE 724.20

Pyrenone® GARDEN DUST

ACTIVE INGREDIENTS:
 Pyrethrins 0.10%
 Piperonyl Butoxide, Technical 1.00%
 Petroleum Distillate 1.90%
INERT INGREDIENTS: 97.00%
 100.00%

*Equivalent to 0.8% (butylcarbitryl)(6-propyl-piperonyl) ether and 0.2% related compounds

PYRENONE - Registered trademark of Fairfield American Corporation

EPA Reg. No. 4816-461
 EPA Est. No. 279-NY-1

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION

Avoid inhalation of dust.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Treat only when insects are present as required to maintain control. Apply only to upper and lower leaf surfaces.

CROP	TO CONTROL
ASPARAGUS	Asparagus Beetle
BEANS	Aphids, Leafhoppers, Bean Beetles
BROCCOLI, CABBAGE, BRUSSEL SPROUTS, CAULIFLOWER	Cabbage Loopers, Moth Larvae, Flea Beetles, Harlequin Bugs, bageworms
CELERY	Cabbage Loopers,
LETTUCE	Cabbage Loopers, Moth Larvae, Imp worms
POTATOES	Aphids, Colorado Beetles, Flea Beetles
RADISHES	Aphids, Flea Beetles
SPINACH	Aphids, Cabbage worms
TOMATOES	Green Peach Aphid
ORNAMENTALS	Aphids, Flea Beetles on: African Violets, Azaleas, Impatiens, Carnations, Dahlias, Geraniums, Gladioli, Golds, Poses, etc.

Pyrenone Garden Dust may be used throughout the growing season; or as a preharvest treatment - acceptable for use up to the day of harvest on Edible Plants when other insecticides are prohibited due to residue restrictions and use limitations.

KEEP OUT OF REACH OF CHILDREN

CAUTION

Avoid inhalation of dust.

See label panels for additional precautionary statements.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open burning and dumping is prohibited. Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by federal, state or local disposal authorities. Consult federal, state or local disposal authorities for approved procedures.

Buyer assumes all risks of use, including of this material not in strict accordance with directions given herewith.

BATCH

NET CONTENTS _____ POUNDS
 NET CONTENTS _____ KILOS

CODE 724.20

Name: PYRENONE[®] GARDEN DUST

Type: Dust

Mode of Action: Quick acting contact insecticide.

Use Locations: On 24 vegetable and ornamental plants.

Insects Controlled: 13 common garden insect pests

Application: Apply dust uniformly to upper and lower leaf surfaces.

Equipment: Conventional dusting equipment.

Special Features:

- * Provides rapid control of insects.
- * Leaves no objectionable residues.
- * Acceptable to day of harvest on edible plants.

Physical Data:

Particle Size: 95% ± 200 mesh
Color: Off white to Light Yellow
Bulk Density: 28.8#ft³ (settled)
Odor: None to slight

Shipping Containers:

Paper Bag	51 Lbs. Gross	50 Lbs. Net
Paper Baler Bag	53 Lbs. Gross	(16 x 3 lb.) 48 Lbs. Net
Paper Baler Bag	26 Lbs. Gross	(24 x 1 lb.) 24 Lbs. Net