- P. B. Strat. 1164 PM-17

CODE 72430

PYRENONE^R GARDEN SPRAY CONCENTRATE

EPA Reg. No. 4816-462 EPA Est. No. 279-NY-1

A PYRENONE^R INSECTICIDE CONCENTRATE

A FAST ACTING EFFECTIVE WAY TO KILL APHIDS, BEETLES, WEBWORMS, LEAFHOPPERS AND MANY OTHER YARD AND GARDEN INSECTS.

DILUTE WITH WATER FOR USE ON VEGETABLE AND ORNAMENTAL PLANTS

USE OUTDOORS ON FLOWERS, ROSES, TREES, AND SHRUBS, ORNAMENTALS AND VEGETABLES

CAN BE USED ON VEGETABLES TILL DAY OF HARVEST

PROVIDES EFFECTIVE, FAST-ACTING, KILLING POWER WITH NO **OBJECTIONABLE RESIDUE**

ACTIVE INGREDIEN IS:	
Pyrethrins	1.00%
*Piperonyl Butoxide, Technical	10.00%
**INERT INGREDIENTS:	<u>89.00%</u>
	100.00%

*Equivalent to min. 8.0% (butylcarbityl) (6-propylpiperonyl) ether and 2.0% related compounds

****Contains petroleum distillate**

Keep Out of Reach of Children CAUTION Harmful if swallowed See side panel for additional precautionary statements

PYRENONE - Registered Trademark of Fairfield American Corporation.


NET CONTENTS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This insecticide may be used outdoors or in greenhouses throughout the entire growing season or as a preharvest treatment when other insecticides are prohibited due to residue restrictions and use limitations.

To control insects named on the plants listed below, apply concentrate at a rate of 12 to 36 fluid ounces per acre, in sufficient water for thorough coverage (normally 100 gallons per acre). For smaller gardens, use 0.6 to 1.5 fluid ounces of concentrate in 5 gallons of water or 1



to 3 tablespoons per 1 gallon. Apply to insure thorough coverage of upper and lower leaf surfaces.

-

Prepare only the amount of spray required. Holding dilute spray more than 24 hours is not recommended.

TO CONTROL CROP Asparagus Beetle ASPARAGUS Aphids, Leafhoppers, 12-Spotted Cucumber Beetle, Whitefly, Mexican BEANS Bean Beetle. Aphids, Cabbage Looper, Cross-Striped Cab-**BROCCOLI, CABBAGE** bage worm, Diamondback Moth Larvae, Flea **BRUSSELS SPROUTS** Beetle, Harlequin Bug, Imported Cabbageworm, Stinkbug CAULIFLOWER Green Peach Aphid, Leaftier, Cabbage Looper CELERY **CRANBERRIES** Fireworms, Leafhopper Blister Beetle, Colorado Potato Beetle, Flea Beetle, Green Peach Aphid EGGPLANTS LETTUCE: Cabbage Looper, Green Peach Aphid, Diamondback Moth Larvae, Imported Cabbageworm **MUSTARD GREENS** Imported Cabbageworm, Diamondback Cater-KALE, COLLARDS pillar, Aphids, Cabbage Looper **TURNIPS, PEPPERS** POTATOES Aphids, Colorado Potato Beetle, Flea Beetle, Leafhoppers RADISH Aphids, Flea Beetle **SPINACH** Aphids, Cabbage Looper, Webworm TOMATOES Green Peach Aphid, Stink Bug, Colorado Potato Beetle, Flea Beetle **JRNAMENTALS** (African Violets Aphids, Flea Beetle, Leafhopper Asters, Azaleas, Begonias, Camellias, Carnations Chrysanthemums, Dahlias, Dogwoods, Geraniums Gladioli, Marigolds, Roses, Rubber Plants, Wandering Jews, etc.) STORAGE AND DISPOSAL Do not contaminate water, food or feed by storage or disposal. PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperature. In case of spill or leakage; soak up with an absorbent material such as sand, sawdust, earth, fillers' earth, etc. Dispose of with chemical waste. PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility. CONTAINER DISPOSAL: Triple risse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State. and local procedures. CONTAINERS ONE GALLON AND SMALLER: Do not reuse container. Wrap container in several layers of newspaper and discard in trash. PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed.

ENVIRONMENTAL HAZA⁺ DS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

10/10/90

•

