10

4816-462

PYRENONE GARDEN SPRAY CONCENTRATE

- * A PYRENONE[®] INSECTICIDE CONCENTRATE
- * A FAST ACTING EFFECTIVE WAY TO KILL APHIDS, BEETLES, WEBWORMS, LEAFHOPPERS AND MANY OTHER YARD AND GARDEN INSECTS.
- * DILUTE WITH WATER FOR USE ON VEGETABLE AND ORNAMEN-TAL PLANTS
- * MIXES READILY WITH WATER TO MAKE AN EASY-TO-USE SPRAY
- * USE OUTDOORS ON FLOWERS, ROSES, TREES, AND SHRUBS, ORNAMENTALS AND VEGETABLES
- * CAN BE USED ON VEGETABLES TILL DAY OF HARVEST
- * PROVIDES EFFECTIVE, FAST-ACTING, KILLING POWER.

ACTIVE INGREDIENTS:

Pyrethrins	
Pyrethrins *Piperonyl Butoxide, Technical	10.00%
+INERT INGREDIENTS:	<u>89.00%</u>
••••••	100.00%

*Equivalent to min. 8.0% (butylcarbityl) (6-propylpiperonyl) ether and 2.0% related compounds

†Contains petroleum distillate PYRENONE - Registered Trademark of AgrEvo Environmental Health, Inc.

EPA REG. NO. 4816-462 EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting because of aspiration hazard. Call a physician.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention

IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

See Side Panel For Additional

Precautionary Statements

NET CONTENTS



Under the Federal Inserticide, Fungicide, and Portect its rimended for the Polrogist and under 116-463 EPA Lets, No.4516-463

CODE 72430

Dage 170

PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals CAUTION

Harmful if absorbed through the skin or inhaled. Causes moderate eye injury. Prolonged and frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist. Wash thor, ighly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Environmental Hazards

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water when disposing of equipment washwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

CONTAINERS LARGER THAN ONE GALLON: Do not contaminate water, food or feed by storage or disposal. Pesticide Storage And Spill Procedures: Store upright at room temperature. Avoid exposure to extreme temperature. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fillers' earth, etc. Dispose of with chemical waste. Pesticide Disposal: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures. CONTAINERS ONE GALLON AND SMALLER:

Storage: Store upright at room temperature. Disposal: Do not reuse container. Securely wrap container in several layers of newspaper and discard in trash.

This insecticide may be used outdoors or in greenhouses throughout the entire growing season or as a preharvest treatment when other insecticides are prohibited due to residue restrictions and use limitations. To control insects named on the plants listed below, use 7.5 to 15 iluid ounces of concentrate in 5 gallons of water or 3 to 5 tablespoons per 1 gallon. (1 tablespoon per quart of water) Apply to insure thorough coverage of upper and lower leaf surfaces. Use caution on new growth and tender foliage.

Prepare only the amount of spray required. Holding dilute spray more than 24 hours is not recommended.

CROP	TO CONTROL	
ASPARAGUS	Asparagus Beetle	
BEANS	Aphids, Leaihopper., 12-Spotted Cu- cumber Beetle, Whitelly, Mexican Bean Beetle.	
BROCCOLI, CABBAGE, BRUSSELS SPROUTS, CAULIFLOWER	Aphids, Cabbage Loc par, C.css-Striped Cabbage worm, Diamond-back Moth Larvae, Flea Beetle, Harlequin Bug, Im- ported Cabbageworm, Scielbug	
CELERY	Green Peach Aphid, Feather, Cabbage Looper	

PYRENONE®

--

TO CONTROL
Fireworms, Leafhopper
Blister Beetle, Colorado Potato Beetle, Flea Beetle, Green Peach Aphid
Cabbage Looper, Green Peach Aphid, Diamondback Moth Larvae, Imported Cabbageworm
Imported Cabbageworm, Diarnond-
back Caterpillar, Aphids, Cabbage
Looper
Green Peach Aphid
Aphids, Colorado Potato Beetle, Flea Beetle, Leafhoppers
Aphids, Flea Beetle
Aphids, Cabbage Looper, Webworm
Green Peach Aphid, Stink Bug, Colo- rado Potato Beetle, Flea Beetle
Aphids, Flea Beetle, Leafhopper

Buyer assumes all responsibility for safety and use not in accordance with directions.

AgrEvo Environmental Health 95 Chestnut Ridge Road Montvale, NJ 07645 29

 σ