

Pyrenone[®] PLUS REPELLENT

ACC

SE

EPA Reg. No. 4816-468 EPA Est. No. 279-NY-1

Contains Pyrenone and Stablene

Controls House Flies, Horn Flies, Stable Flies, Horse Flies, Mosquitoes and Gnats.

For use in horse barns, kennels and other non-meat/dairy animal quarters. Not for use on beef, dairy animals, poultry or other livestock intended for human consumption.

ACTIVE INGREDIENTS

Pyrethrins.....	1.75%
*Piperonyl Butoxide, Technical..	17.5%
Butoxypolypropylene Glycol.....	17.51%
Petroleum Distillate.....	7.00%
Aromatic Petroleum Distillate..	16.21%
INERT INGREDIENTS	10.60%
	100.00%

*Equivalent to min. 14.02% (butylcarbityl) (6-propylpiperonyl) ether and 3.51% related compounds

PYRENONE - Registered trademark of
Fairfield American Corporation

STABILENE - Registered trademark of
Union Carbide Corporation

KEEP OUT OF REACH OF CHILDREN
CAUTION

See side panel for additional precautions.

NET CONTENTS

BATCH

Printed in U.S.A.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is designed to be diluted in water just prior to use. To formulate a spray containing 0.175% pyrethrins, 1.75% piperonyl butoxide and 4.75% butoxypolypropylene glycol, use 1 gallon of concentrate with 9 gallons of water or 13 ounces per 1 gallon of water. This product should be added to the water, slowly, while stirring or agitating. Storage tanks should be emptied and thoroughly cleaned at frequent intervals to prevent biological growth.

For control of bedbugs and mites in poultry houses, spray crevices of roost poles, cracks in walls, nests and other areas where bedbugs and mites might hide. Repeat treatment as needed.

For Use on Non-Edible Livestock:

Brush the animal thoroughly to remove loose dirt and dust. Using about one quart of dilute material per animal.

TO KILL AND REPEL HOUSE FLIES, HORN FLIES, GNATS AND MOSQUITOES: Moisten (but do not wet to the point of dripping) a soft cloth and rub over the hair. It is best to apply by rubbing against the hair growth. Give special attention to the legs, shoulders, shanks, neck and facial areas where flies most often are seen. Repeat daily or as required.

TO KILL AND REPEL HORSE FLIES, STABLE FLIES, DEER FLIES AND FACI FLIES:

Moisten (do not soak) a folded 12" square piece of turkish toweling with the diluted product. Rub against, then with hair growth. Give special attention to facial areas, neck, legs, shoulders and shanks where flies are most often seen. Avoid contact with eyes or nostrils. Apply to thoroughly moisten hair. For best results, apply this product daily.

TO KILL ATTACHED TICKS:

Saturate a cloth with this concentrate and daub directly on ticks. Avoid contact with the infested animal's eyes or nostrils.

In Horse Barns, Stables and Tack Rooms: Apply as a fine mist, directing spray at the ceiling and upper corners until the area is filled with mist using about 2 ounces per 1000 cubic feet of space. For best results, close doors and windows before spraying and keep them closed for 10 to 15 minutes. Vacate the area and ventilate before reoccupying. Repeat treatment if necessary.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL

Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state or local procedures.

CONTAINER DISPOSAL

Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Do not contaminate feed or foodstuffs. Not for use on animals intended for food. Remove pets, birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting unless directed by a physician. Petroleum distillate may cause aspiration hazard. Contact a physician immediately.

If In Eyes: Flush eyes with plenty of water. Contact a physician if irritation persists.

If Inhaled: Remove victim to fresh air. Apply respiration if indicated.

If On Skin: Remove contaminated clothing and wash affected areas with plenty of soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

Pyrenone[®] PLUS REPELLENT

BEST AVAILABLE COPY

EPA Reg. No. 1816-168 EPA Est. No. 279-NY-1

Contains Pyrenones and Stabifenes

Controls House Flies, Horn Flies, Stable Flies, Horse Flies, Mosquitoes and Gnats.

For use in horse barns, kennels and other non-meat/dairy animal quarters. Not for use on feed, dairy animals, poultry or other livestock intended for human consumption.

ACTIVE INGREDIENTS

Pyrethrins	1.75%
* Piperonyl Butoxide, Technical	17.53%
Butoxypolypyrpylene Glycol	47.51%
**INERT INGREDIENTS	33.21%
	100.00%

*Equivalent to sum of 11.02% (butylcarbitol) (cyclopentylperoxide) ether and 3.51% related compound.

Pyrenone - Registered trademark of Fairfield American Corporation

Stabifene - Registered trademark of Union Carbide Corporation

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panel for additional precautions

NET CONTENTS

BATCH

Printed in U.S.A.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is designed to be diluted in water just prior to use. To formulate a spray containing 0.175% pyrethrins, 1.75% piperonyl butoxide and 1.75% butoxypolypyrpylene glycol, use 1 gallon of concentrate with 9 gallons of water or 13 ounces per 1 gallon of water. This product should be added to the water, slowly, while stirring or agitating. Storage tanks should be emptied and thoroughly cleaned at frequent intervals to prevent biological growth.

For control of bedbugs and mites in poultry houses, spray crevices of roost poles, cracks in walls, nests and other areas where bedbugs and mites might hide. Repeat treatment as needed.

For Use on Non-Edible Livestock:

Brush the animal thoroughly to remove loose feed and dust. Using about one quart of dilute material per animal.

TO KILL AND REPEL HOUSE FLIES, HORSE FLIES, GNATS AND MOSQUITOES: Moisten (but do not wet to the point of dripping) a soft cloth and rub over the hair. It is best to apply by rubbing against the hair growth. Give special attention to the legs, shoulders, shanks, neck and facial areas where flies most often are seen. Repeat daily or as required.

TO KILL AND REPEL HORSE FLIES, STABLE FLIES, BEE FLIES AND FACE FLIES:

Moisten (do not soak) a folded 12" square piece of Turkish toweling with the diluted product. Rub against, then with hair growth. Give special attention to facial areas, neck, legs, shoulders and shanks where flies are most often seen. Avoid contact with eyes or nostrils. Apply to thoroughly moisten hair. For best results, apply this product daily.

TO KILL ATTACHED TICKS:

Saturate a cloth with this concentrate and dab directly on ticks. Avoid contact with the infested animal's eyes or nostrils.

In Horse Barns, Stables and Tack Rooms: Apply as a fine mist, directing spray toward the ceiling and upper corners until the area is filled with mist. Apply 2 ounces per 1000 cubic feet of space. For best results, close doors and windows before spraying and leave them closed for 10 to 15 minutes. Vacate the area and ventilate before reoccupying. Repeat treatment if necessary.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL

Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.

CONTAINER DISPOSAL

Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Do not contaminate feed or foodstuffs. Not for use on animals intended for food. Remove pets, birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting unless directed by a physician. Petroleum distillate may cause aspiration hazard. Contact a physician immediately.

If In Eyes: Flush eyes with plenty of water. Contact a physician if irritation persists.

If Inhaled: Remove victim to fresh air. Apply respiration if indicated.

If On Skin: Remove contaminated clothing and wash affected areas with plenty of soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.