

BEST DOCUMENT AVAILABLE

CODE 726.25

# TETRALATE® MULTI-PURPOSE INSECTICIDE S.E.C.

6-24-83  
4816-470

EPA Reg. No. 4816-470 EPA Est. No. 279-NY-1  
Combining Two Highly Active Synthetic  
Pyrethroid Compounds.

A Water Emulsifiable Insecticide Concentrate  
For use in Bakeries, Bottling Plants, Canner-  
ies, Flour Mills, Food Processing Plants, Hos-  
pitals, Hotels, Restaurants, Schools, Horse  
Barns, and on Ornamental Plants in Homes,  
Gardens and Greenhouses.

<b>ACTIVE INGREDIENTS:</b>	
*Tetramethrin . . . . .	2.50%
Related Compounds . . . . .	0.34%
Resmethrin-[5-phenylmethyl]-3- furanylmethyl-2,2-dimethyl-3- (2-methyl-1-propenyl) cyclopropanecarboxylate . . . . .	2.50%
Related Compounds . . . . .	0.46%
Petroleum Distillate . . . . .	10.00%
<b>INERT INGREDIENTS:</b> . . . . .	84.20%
	100.00%

\*1-Cyclohexene-1,2-dicarboximidomethyl 2,2-  
dimethyl-3-(2-methylpropenyl) cyclopropane-  
carboxylate

TETRALATE- Registered Trademark of Fairfield  
American Corporation

To control cockroaches, ants, spiders,  
silverfish, crickets, centipedes, earwigs,  
sowbugs and grain mites: Apply as a coarse  
droplet spray directed into cracks, crevices  
and other hiding places, along baseboards,  
around the bases of machinery and under  
pallets. Treat all returned bottle cartons  
and cans. Spray thoroughly, contacting in-  
sects directly whenever possible. Spray  
badly infested areas daily. In other areas,  
repeat treatment twice weekly or when  
reinfestation occurs.

## SPACE SPRAY

This concentrate should be diluted with  
water before use, at a rate of 1 part con-  
centrate to 19 parts water. The diluted  
spray should be applied in conventional,  
mechanical or compressed air spraying or  
fogging equipment. It is not recommended  
for use in thermal generating equipment.

To control houseflies, mosquitoes, gnats and  
flying moths: Close doors and windows and  
shut off ventilating systems. Apply as a  
fog or fine mist directing the spray toward  
the upper portions of the room and toward  
windows and other light sources which  
attract these insects. Thoroughly fill the  
area with mist using 1 to 1 ounce per 1000  
cubic feet of space. Keep area closed for  
at least 10 minutes. Vacate after treatment  
and ventilate before reoccupying. Repeat  
treatment as needed.

## ON ORNAMENTAL PLANTS

Dilute this concentrate at the rate of 1  
part material to 79 parts water. To control  
aphids, two-spotted spider mites and adult  
whiteflies on ornamental house and garden  
plants (African violet, azalea, Christmas  
cherry, chrysanthemum, cineraria, diffen-  
bachia, fuschia, gloxinia, ivy, lantana,  
Neathe bella palm, petunia, rose and snap-  
dragon and on outdoor plants such as azalea,  
chrysanthemum, euonymus, ivy, marigold,  
petunia, rose, snapdragon and zinnia).  
Apply as a fog or fine mist, spraying plants  
with a sweeping motion so that the mist  
drifts into the plants. Direct spray so  
that the upper and lower portions of leaves  
are contacted. Use caution on new growth  
and tender foliage. When using outdoors,  
spray when air is still. Repeat as  
necessary.

To control gypsy moths and caterpillars,  
forest and tent caterpillars, canker worms,  
garden sawflies, and the above pests on orna-  
mental trees spray as above. Do not spray  
bearing fruit trees.

## In Horse Barns and on Horses:

Dilute 1 part concentrate with 19 parts water  
and apply as a fine mist spray to stable area  
and over and around stabled horses to provide  
quick relief from annoying flies, mosquitoes,  
and gnats. May also be sprayed directly on  
horses. DO NOT USE ON HORSES INTENDED FOR  
HUMAN CONSUMPTION.

## STORAGE DISPOSAL

Do not contaminate water, food or feed by  
storage or disposal.

### PESTICIDE DISPOSAL:

Pesticide spray mixture or rinse water that  
cannot be used according to label  
instructions must be disposed of according  
to applicable Federal, State or local  
procedures.

### CONTAINER DISPOSAL:

Triple rinse (or equivalent) then offer for  
recycling or reconditioning, or puncture  
and dispose of in a sanitary landfill, or by  
other approved State and local authorities.

### PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION

Harmful if swallowed. The use of this pro-  
duct in food processing plants should be  
confined to time periods when the plant is  
not in operation. Foods should be removed  
or covered during treatment and thoroughly  
cleaned and rinsed with potable water be-  
fore using. Wash all contaminated clothing  
with soap and hot water before reuse.  
Remove pets, birds, and cover fish aquaria  
before spraying. When used in hospitals,  
patients must be removed from the room and  
the rooms aired for two hours prior to  
re-entry.

### ENVIRONMENTAL HAZARDS

Do not apply outdoors when weather  
conditions favor drift from area treated.  
This product is toxic to fish and birds.  
Do not apply directly to lakes, ponds or  
streams. Do not contaminate water by  
cleaning of equipment or disposal of wastes.  
Apply this product only as specified on  
this label.

Buyer assumes all risks of use, storage or  
handling of this product not in strict  
accordance with directions given herewith.

BATCH

[Empty box for batch number]

Printed in U.S.A.

KEEP OUT OF REACH OF CHILDREN

**CAUTION**

See side panel for additional precautions.

## DIRECTIONS FOR USE

It is a violation of Federal law to use  
this product in a manner inconsistent with  
its labeling.

Water dilutions should be prepared at room  
temperature. Exposure to low temperatures  
may cause cloudiness or crystallization.

### SURFACE SPRAY

This concentrate should be diluted with  
water before use, at a rate of 1 part con-  
centrate to 9 parts water. The diluted  
spray should be applied in conventional,  
mechanical or compressed air spraying or  
fogging equipment. It is not recommended  
for use in thermal generating equipment.

NET CONTENTS

**FAIRFIELD  
AMERICAN**

REGISTRATION

NEW YORK, N.Y. 10005

CODE 726.25